

2

Warning: PDF designed for A3 colour print only with no page scaling

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

0 50m

Dig Sites Area: --- Line: ---

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A3)

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Legend

Service Cable

19 Main

6.6kV

11kV

22kV

33kV

132kV

275kV

400kV

500kV

Other Cable

Distribution Structures (Electric)

Peak Baiting Location

Peak Structure Existing Location - Single

Peak Structure Existing Location - N

Duct Route

Cross Section Route

Voltagers (V)

LV (Low Voltage) and Services

Up to 1,000V

1,000V to 11,000V

11,000V to 22,000V

22,000V to 132,000V

132,000V to 275,000V

275,000V and 400,000V

EHV (Extra High Voltage)

Transmission

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD

Services	LV	IV	EHV
Footpath/Unmade	0.5m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	0m	0m	1.1m

Scottish & Southern
Electricity Networks

Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverlorn Road,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 048 3516

If you're unsure & need to seek advice before commencing excavations please contact:
asset@scsn.co.uk
 Subject to revision – Master held by SSE M Asset Data Team:
 01256 337 294

3

Warning: PDF designed for A3 colour print only with no page scaling

0 50 m

Dig Sites Area: --- Line: ---

Date Requested: 11/06/2021
Job Reference: 22379388
Site Location: 367176 075049
Requested by:
Mr Rory Casey
Your Scheme/Reference: Portland
Beach Road

WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HSE (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

LV (Low Voltage) and Services	
Up to 1,000V	0.6m
1,000V to 17.5kV	0.6m
17.5kV to 33kV	0.6m
33kV to 132kV	0.6m
132kV to 400kV	0.6m
400kV	0.6m
Transmission	
275,000V and 400,000V	0.6m
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD	
Services	LV
Footpath/Unmade	0.6m
Road Crossing	0.6m
Agricultural	0.6m
Highway	0.6m
Highway	0.9m
Highway	0.9m
Highway	1.1m

Legend	
Service Cable	17.5kV
17.5kV	6.6kV
6.6kV	11kV
11kV	22kV
22kV	33kV
33kV	132kV
132kV	275kV
275kV	400kV
400kV	500kV
500kV	Peak Cable
Peak Cable	
Distribution Structures (Electric)	
Peak Building Location	
Peak Structure Existing Location	Single
Peak Structure Existing Location	Multiple
Duct Route	
Cross Section Route	








Scottish and Southern Energy Power Distribution Ltd.
Registered Office: Inverchonnard House,
200 Dunkeld Road, Perth, PH1 3AQ
Registered in Scotland No. SC213459
General Enquiries: 0800 048 3516


If you're unsure & need to seek advice before commencing excavations please contact:
Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
01256 337 294

Scale: 1:500 (When plotted at A3)

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.


Warning: PDF designed for A3 colour print only with no page scaling

<p>0  50m</p>	<p>Dig Sites Area:  Line: </p>	<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>																				
<p>Legend</p> <p>Service Cable</p> <ul style="list-style-type: none"> 10 Mains 6.6kV 11kV 22kV 66kV 132kV 275kV 400kV 400kV+ (P) Other Cables 	<p>Voltagers (V)</p> <p>LV (Low Voltage) and Services Up to 1,000V 1,000V to 1,500V 22,000V to 33,000V HV (Extra High Voltage) Transmission 275,000V and 400,000V</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1"> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>LV</td> <td>0.6m</td> <td>EHV</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>LV</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Agricultural</td> <td>0.6m</td> <td>LV</td> <td>0.75m</td> <td>0.9m</td> </tr> <tr> <td></td> <td>0.6m</td> <td>LV</td> <td>1.1m</td> <td>1.1m</td> </tr> </table>	Footpath/Unmade	0.45m	LV	0.6m	EHV	Road Crossing	0.6m	LV	0.6m	0.8m	Agricultural	0.6m	LV	0.75m	0.9m		0.6m	LV	1.1m	1.1m	<p>Distribution Structures (Electric)</p> <ul style="list-style-type: none"> Peak Building Location Peak Structure Existing Location - Single Peak Structure Existing Location - N Duct Route Cross Section Route 	<p>Scale: 1:500 (When plotted at A3)</p>
Footpath/Unmade	0.45m	LV	0.6m	EHV																			
Road Crossing	0.6m	LV	0.6m	0.8m																			
Agricultural	0.6m	LV	0.75m	0.9m																			
	0.6m	LV	1.1m	1.1m																			
		<p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p>	<p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459 General Enquiries: 0800 048 3516</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: asset.data@scsn.co.uk 01256 337 294</p>																				
<p>Subject to revision – Master held by SSE in Asset Data Team:</p> <p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																							



Warning: PDF designed for A3 colour print only with no page scaling




<p>0 50m</p> <p>Dig Sites Area: Line:</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <p>19 Mains</p> <p>6.6KV</p> <p>11KV</p> <p>22KV</p> <p>33KV</p> <p>66KV</p> <p>132KV</p> <p>275KV</p> <p>400KV</p> <p>500KV</p> <p>Peak Cable</p>	<p>Voltagers (V)</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 275,000V</p> <p>275,000V and 400,000V</p> <p>NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN LAD</p> <p>Services LV 0.6m</p> <p>Services MV 0.6m</p> <p>Services HV 0.6m</p> <p>Footpath/Unmade 0.5m</p> <p>Road Crossing 0.8m</p> <p>Agricultural 0.75m</p> <p>1.1m</p>	<p>Distribution Structures (Electric)</p> <p>Peak Loading Location</p> <p>Peak Structure Existing Location - Engal</p> <p>Peak Structure Existing Location - H</p> <p>Duct Route</p> <p>Cross Section Route</p>	<p>0 50m</p> <p>Dig Sites Area: Line:</p>
<p>Date Requested: 11/06/2021</p> <p>Job Reference: 22378388</p> <p>Site Location: 367176 075049</p> <p>Requested by: Mr Rory Casey</p> <p>Your Scheme/Reference: Portland Beach Road</p>	<p>Scale: 1:500 (When plotted at A3)</p>	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd.</p> <p>Registered Office: Inverchonnard House, 200 Dunkeld Road, Perth, PH1 3AQ</p> <p>Registered in Scotland No. SC213459</p> <p>General Enquiries: 0800 088 3516</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: asset.enquiries@scsn.co.uk</p> <p>Subject to revision – Master held by SSE M Asset Data Team: 01256 337 294</p>	<p>06x3C</p> <p>95 Wavecon</p> <p>95 Consec</p> <p>1000086</p> <p>Car Park</p> <p>95 Consec</p>	<p>06x3C</p> <p>95 Wavecon</p> <p>95 Consec</p> <p>1000086</p> <p>Car Park</p> <p>95 Consec</p>	<p>06x3C</p> <p>95 Wavecon</p> <p>95 Consec</p> <p>1000086</p> <p>Car Park</p> <p>95 Consec</p>




Warning: PDF designed for A3 colour print only with no page scaling

<p>Date Requested: 11/06/2021 Job Reference: 22378388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<table border="1"> <tr> <th colspan="2">Voltagers (V)</th> </tr> <tr> <td>Up to 1,000V</td> <td>0.6m</td> </tr> <tr> <td>1,000V to 11,000V</td> <td>0.6m</td> </tr> <tr> <td>11,000V to 22,000V</td> <td>0.6m</td> </tr> <tr> <td>22,000V to 132,000V</td> <td>0.6m</td> </tr> <tr> <td>132,000V to 400,000V</td> <td>0.6m</td> </tr> <tr> <td>400,000V and above</td> <td>0.6m</td> </tr> <tr> <th colspan="2">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD</th> </tr> <tr> <td>Services</td> <td>0.6m</td> </tr> <tr> <td>IV</td> <td>0.6m</td> </tr> <tr> <td>EV</td> <td>0.8m</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.5m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> </tr> <tr> <td>Agricultural</td> <td>0.75m</td> </tr> <tr> <td></td> <td>1.1m</td> </tr> </table>	Voltagers (V)		Up to 1,000V	0.6m	1,000V to 11,000V	0.6m	11,000V to 22,000V	0.6m	22,000V to 132,000V	0.6m	132,000V to 400,000V	0.6m	400,000V and above	0.6m	NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD		Services	0.6m	IV	0.6m	EV	0.8m	Footpath/Unmade	0.5m	Road Crossing	0.6m	Agricultural	0.75m		1.1m	<table border="1"> <tr> <th colspan="2">Legend</th> </tr> <tr> <td>Service Cable</td> <td>11kV</td> </tr> <tr> <td>11kV</td> <td>22kV</td> </tr> <tr> <td>22kV</td> <td>33kV</td> </tr> <tr> <td>33kV</td> <td>66kV</td> </tr> <tr> <td>66kV</td> <td>132kV</td> </tr> <tr> <td>132kV</td> <td>275kV</td> </tr> <tr> <td>275kV</td> <td>400kV</td> </tr> <tr> <td>400kV</td> <td>Other</td> </tr> <tr> <td>Other</td> <td>Power Cable</td> </tr> </table>	Legend		Service Cable	11kV	11kV	22kV	22kV	33kV	33kV	66kV	66kV	132kV	132kV	275kV	275kV	400kV	400kV	Other	Other	Power Cable	<p>Distribution Structures (Electric)</p> <ul style="list-style-type: none"> Peak Building Location Peak Structure Existing Location - Single Peak Structure Existing Location - N Duct Route Cross Section Route 	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inverchonnard House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516 assetdata@scsn.co.uk 01256 337 294</p> <p>Subject to revision – Master held by SSE in Asset Data Team:</p>
Voltagers (V)																																																							
Up to 1,000V	0.6m																																																						
1,000V to 11,000V	0.6m																																																						
11,000V to 22,000V	0.6m																																																						
22,000V to 132,000V	0.6m																																																						
132,000V to 400,000V	0.6m																																																						
400,000V and above	0.6m																																																						
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD																																																							
Services	0.6m																																																						
IV	0.6m																																																						
EV	0.8m																																																						
Footpath/Unmade	0.5m																																																						
Road Crossing	0.6m																																																						
Agricultural	0.75m																																																						
	1.1m																																																						
Legend																																																							
Service Cable	11kV																																																						
11kV	22kV																																																						
22kV	33kV																																																						
33kV	66kV																																																						
66kV	132kV																																																						
132kV	275kV																																																						
275kV	400kV																																																						
400kV	Other																																																						
Other	Power Cable																																																						
<p>0 50m</p>	<p>Dig Sites Area: --- Line: ---</p>																																																						
<p>Scale: 1:500 (When plotted at A3)</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'), Unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																																							

Warning: PDF designed for A3 colour print only with no page scaling


<p>0  50m</p>	<p>Dig Sites Area:  Line: </p>	<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>															
<p>Legend</p> <p>Service Cable</p> <p>19 Mains</p> <p>6.6kV</p> <p>11kV</p> <p>22kV</p> <p>66kV</p> <p>132kV</p> <p>275kV</p> <p>400kV</p> <p>400kV+ HV Cable</p>	<p>Voltagers (V)</p> <p>LV (Low Voltage) and Services Up to 1,000V 1,000V to 1,500V 22,000V to 132,000V HV (Extra High Voltage) Transmission</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1"> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>IV</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>IV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>0.6m</td> <td>IV</td> <td>0.75m</td> <td>1.1m</td> </tr> </table>	Footpath/Unmade	0.45m	IV	0.6m	0.8m	Road Crossing	0.6m	IV	0.6m	0.9m	Agricultural	0.6m	IV	0.75m	1.1m	<p>Distribution Structures (Electric)</p> <p>Peak Loading Location</p> <p>Peak Structure Loading Location - Single</p> <p>Peak Structure Loading Location - N</p> <p>Duct Route</p> <p>Cross Section Route</p>	<p>Scale: 1:500 (When plotted at A3)</p>
Footpath/Unmade	0.45m	IV	0.6m	0.8m														
Road Crossing	0.6m	IV	0.6m	0.9m														
Agricultural	0.6m	IV	0.75m	1.1m														
<p>Scottish & Southern Electricity Networks</p>	<p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p>	<p>Scottish & Southern Electricity Networks logo</p>	<p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516 Subject to revision – Master held by SSE in Asset Data Team: assetdata@scsn.co.uk 01256 337 294</p>															

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <p>17 Mains</p> <p>6.6kV</p> <p>11kV</p> <p>22kV</p> <p>66kV</p> <p>132kV</p> <p>275kV</p> <p>400kV</p> <p>500kV</p> <p>Power Cable</p>	<p>Voltagers (V)</p> <p>LV (Low Voltage) and Services</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 400,000V</p> <p>EHV (Extra High Voltage)</p> <p>Transmission</p>	<p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1"> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>IV</td> <td>0.6m</td> <td>EHV</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>IV</td> <td>0.6m</td> <td>EHV</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>0.6m</td> <td>IV</td> <td>0.75m</td> <td>EHV</td> <td>1.1m</td> </tr> </table>	Footpath/Unmade	0.45m	IV	0.6m	EHV	0.8m	Road Crossing	0.6m	IV	0.6m	EHV	0.9m	Agricultural	0.6m	IV	0.75m	EHV	1.1m	<p>Distribution Structures (Electric)</p> <p>Peak Loading Location</p> <p>Peak Structure Loading Location - Single</p> <p>Peak Structure Loading Location - N</p> <p>Duct Route</p> <p>Cross Section Route</p>		<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd.</p> <p>Registered Office: Inverlorn Road, Perth, PH1 3AQ</p> <p>200 Dunkeld Road, Perth, PH1 3AQ</p> <p>Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSE in Asset Data Team: assetdata@scsn.co.uk 01256 337 294</p>
Footpath/Unmade	0.45m	IV	0.6m	EHV	0.8m																				
Road Crossing	0.6m	IV	0.6m	EHV	0.9m																				
Agricultural	0.6m	IV	0.75m	EHV	1.1m																				
<p>Date Requested: 11/06/2021</p> <p>Job Reference: 22378388</p> <p>Site Location: 367176 075049</p> <p>Requested by: Mr Rory Casey</p> <p>Your Scheme/Reference: Portland Beach Road</p>	<p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>					<p>Scale: 1:500 (When plotted at A3)</p>																			




Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50m</p> <p>Dig Sites Area: Line: </p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <p>19 Main</p> <p>6.6kV</p> <p>11kV</p> <p>22kV</p> <p>66kV</p> <p>132kV</p> <p>275kV</p> <p>400kV</p> <p>500kV</p> <p>Peak Cable</p>	<p>Voltagers (V)</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 275,000V</p> <p>275,000V and 400,000V</p> <p>Transmission</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD</p> <p>Services 0.6m</p> <p>IV 0.6m</p> <p>EV 0.8m</p> <p>Footpath/Unmade Road 0.9m</p> <p>Road Crossing 0.9m</p> <p>Agricultural 1.1m</p>	<p>Distribution Structures (Electric)</p> <p>Peak Loading Location</p> <p>Peak Structure Loading Location - Single</p> <p>Peak Structure Loading Location - N</p> <p>Duct Route</p> <p>Cross Section Route</p>	<p>0 50m</p> <p>Dig Sites Area: Line: </p>	<p>Scottish & Southern Electricity Networks</p>	<p>Scottish and Southern Energy Power Distribution Ltd.</p> <p>Registered Office: Inverchonnard House, 200 Dunkeld Road, Perth, PH1 3AQ</p> <p>Registered in Scotland No. SC213459</p> <p>General Enquiries: 0800 048 3516</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: asset.data@scsn.com</p> <p>Subject to revision – Master held by SSE in Asset Data Team: 01256 337 294</p>	<p>Scottish & Southern Electricity Networks</p>	<p>Scottish & Southern Electricity Networks</p>	<p>Scottish & Southern Electricity Networks</p>	<p>Date Requested: 11/06/2021</p> <p>Job Reference: 22379388</p> <p>Site Location: 367176 075049</p> <p>Requested by: Mr Rory Casey</p> <p>Your Scheme/Reference: Portland Beach Road</p>	<p>Scale: 1:500 (When plotted at A3)</p>
---	--	---	---	---	---	---	---	---	---	---	---	--


BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <p>19 Main</p> <p>6.6kV</p> <p>11kV</p> <p>22kV</p> <p>132kV</p> <p>275kV</p> <p>400kV</p> <p>600kV</p> <p>Peak Cable</p>	<p>Voltagers (V)</p> <p>LV (Low Voltage) and Services</p> <p>Up to 1,000V</p> <p>1,000V to 1,500V</p> <p>1,500V to 22,000V</p> <p>22,000V to 432,000V</p> <p>EMV (Extra High Voltage)</p> <p>Transmission</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <p>Services LV 0.6m</p> <p>IV 0.6m</p> <p>EV 0.8m</p> <p>Footpath/Unmade Road 0.9m</p> <p>Road Crossing 0.9m</p> <p>Agricultural 1.1m</p>	<p>Distribution Structures (Electric)</p> <p>Peak Baiting Location</p> <p>Peak Structure Existing Location - Single</p> <p>Peak Structure Existing Location - N</p> <p>Duct Route</p> <p>Cross Section Route</p>	<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>
<p>Date Requested: 11/06/2021</p> <p>Job Reference: 22379388</p> <p>Site Location: 367176 075049</p> <p>Requested by: Mr Rory Casey</p> <p>Your Scheme/Reference: Portland Beach Road</p>	<p>Scale: 1:500 (When plotted at A3)</p>	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd.</p> <p>Registered Office: Inverchonnard House, 200 Dunkeld Road, Perth, PH1 3AQ</p> <p>Registered in Scotland No. SC213459</p> <p>General Enquiries: 0800 048 3516</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: asset.enquiries@scsn.com</p> <p>Subject to revision – Master held by SSE in Asset Data Team: 01256 337 294</p>	<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>



Warning: PDF designed for A3 colour print only with no page scaling

0 50 m Dig Sites Area: --- Line: ---

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Legend

Service Cable
 10 Mains
 6.6KV
 11KV
 22KV
 66KV
 132KV
 275KV
 400KV
 800KV
 HV Cable
 HV Cable

Distribution Structures (Electric)
 Pole Location
 Pole Structure Existing Location - Single
 Pole Structure Existing Location - N
 Duct Route
 Cross Section Route

Voltagers (V)
 LV (Low Voltage) and Services Up to 1,000V
 HV (Extra High Voltage) 22,000V to 132,000V
 Transmission 275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD

Footpath/Unmade	0.45m	IV	0.6m	BIV	0.8m
Road Crossing	0.6m	IV	0.6m	BIV	0.9m
Agricultural	0.6m	IV	0.75m	BIV	1.1m

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by: Mr Rory Casey
 Your Scheme/Reference: Portland Beach Road

Scale: 1:500 (When plotted at A3)

Scottish & Southern Electricity Networks







Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No SC213459
 General Enquiries: 0800 048 3516


If you're unsure & need to seek advice before commencing excavations please contact:
asset.data@scsn.co.uk
 01256 337 294

Subject to revision – Master held by SSE in Asset Data Team.

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Warning: PDF designed for A3 colour print only with no page scaling

<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>50 m</p> <p>Dig Sites Area:  Line: </p> <p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<table border="1"> <tr> <th colspan="2">Voltages (V)</th> </tr> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>Medium Voltage</td> <td>1,100V to 17,500V</td> </tr> <tr> <td>HV (Extra High Voltage)</td> <td>22,000V to 52,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> <tr> <th colspan="2">NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN Laid</th> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> </tr> <tr> <td>Agricultural</td> <td>0.6m</td> </tr> <tr> <td>Services</td> <td>LV 0.6m</td> </tr> <tr> <td></td> <td>11kV 0.6m</td> </tr> <tr> <td></td> <td>17.5kV 0.9m</td> </tr> <tr> <td></td> <td>275kV 1.1m</td> </tr> </table>	Voltages (V)		LV (Low Voltage) and Services	Up to 1,000V	Medium Voltage	1,100V to 17,500V	HV (Extra High Voltage)	22,000V to 52,000V	Transmission	275,000V and 400,000V	NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN Laid		Footpath/Unmade	0.45m	Road Crossing	0.6m	Agricultural	0.6m	Services	LV 0.6m		11kV 0.6m		17.5kV 0.9m		275kV 1.1m	 	 <p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516 assetdata@scsn.co.uk 01256 337 294</p> <p>Subject to revision – Master held by SSE in Asset Data Team:</p>	
Voltages (V)																															
LV (Low Voltage) and Services	Up to 1,000V																														
Medium Voltage	1,100V to 17,500V																														
HV (Extra High Voltage)	22,000V to 52,000V																														
Transmission	275,000V and 400,000V																														
NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN Laid																															
Footpath/Unmade	0.45m																														
Road Crossing	0.6m																														
Agricultural	0.6m																														
Services	LV 0.6m																														
	11kV 0.6m																														
	17.5kV 0.9m																														
	275kV 1.1m																														
<p>Scale: 1:500 (When plotted at A3)</p>		<p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the ACT provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																													




13

Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50 m</p>	<p>Dig Sites Area: Line: </p>	<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <ul style="list-style-type: none"> 10 Mains 6.6kV 11kV 22kV 66kV 132kV 275kV 400kV 500kV Other Cables <p>Distribution Structures (Electric)</p> <ul style="list-style-type: none"> Peak Loading Location Peak Structure Existing Location - Single Peak Structure Existing Location - N Duct Route Cross Section Route 																																												
<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>Voltagers (V)</p> <table border="0"> <tr><td>Up to 1,000V</td><td>0.6m</td><td>0.6m</td><td>0.8m</td></tr> <tr><td>1,000V to 11,000V</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>11,000V to 22,000V</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>22,000V to 132,000V</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>132,000V to 275,000V</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>275,000V and 400,000V</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> </table> <p>Transmission</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD</p> <table border="0"> <tr><td>Services</td><td>IV</td><td>0.6m</td><td>0.8m</td></tr> <tr><td>IV</td><td>IV</td><td>0.6m</td><td>0.8m</td></tr> <tr><td>Footpath/Unmade</td><td>IV</td><td>0.6m</td><td>0.75m</td></tr> <tr><td>Road Crossing</td><td>IV</td><td>0.6m</td><td>0.75m</td></tr> <tr><td>Agricultural</td><td>IV</td><td>0.6m</td><td>1.1m</td></tr> </table>	Up to 1,000V	0.6m	0.6m	0.8m	1,000V to 11,000V	0.6m	0.6m	0.9m	11,000V to 22,000V	0.6m	0.6m	0.9m	22,000V to 132,000V	0.6m	0.6m	0.9m	132,000V to 275,000V	0.6m	0.6m	0.9m	275,000V and 400,000V	0.6m	0.6m	0.9m	Services	IV	0.6m	0.8m	IV	IV	0.6m	0.8m	Footpath/Unmade	IV	0.6m	0.75m	Road Crossing	IV	0.6m	0.75m	Agricultural	IV	0.6m	1.1m	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inverlorn Road, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516 assetdata@scsn.co.uk 01256 337 294</p> <p>Subject to revision – Master held by SSE in Asset Data Team:</p>	<p>Scale: 1:500 (When plotted at A3)</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>
Up to 1,000V	0.6m	0.6m	0.8m																																												
1,000V to 11,000V	0.6m	0.6m	0.9m																																												
11,000V to 22,000V	0.6m	0.6m	0.9m																																												
22,000V to 132,000V	0.6m	0.6m	0.9m																																												
132,000V to 275,000V	0.6m	0.6m	0.9m																																												
275,000V and 400,000V	0.6m	0.6m	0.9m																																												
Services	IV	0.6m	0.8m																																												
IV	IV	0.6m	0.8m																																												
Footpath/Unmade	IV	0.6m	0.75m																																												
Road Crossing	IV	0.6m	0.75m																																												
Agricultural	IV	0.6m	1.1m																																												

Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50m</p>	<p>Dig Sites Area: --- Line: ---</p>																																
<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Fortland Beach Road</p>	<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Voltagers (V) LV (Low Voltage) and Services: Up to 1,000V MV (Medium Voltage): 11,000V HV (Extra High Voltage): 22,000V to 132,000V Transmission: 275,000V and 400,000V</p> <p>NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1"> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>IV</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>IV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>0.6m</td> <td>IV</td> <td>0.75m</td> <td>1.1m</td> </tr> <tr> <td>Services</td> <td>IV</td> <td>IV</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td></td> <td></td> <td>IV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td></td> <td>IV</td> <td>0.75m</td> <td>1.1m</td> </tr> </table>	Footpath/Unmade	0.45m	IV	0.6m	0.8m	Road Crossing	0.6m	IV	0.6m	0.9m	Agricultural	0.6m	IV	0.75m	1.1m	Services	IV	IV	0.6m	0.8m			IV	0.6m	0.9m			IV	0.75m	1.1m	<p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459 General Enquiries: 0800 048 3516 If you're unsure & need to seek advice before commencing excavations please contact: asset.data@scsn.co.uk Subject to revision – Master held by SSE in Asset Data Team: 01256 337 294</p>
Footpath/Unmade	0.45m	IV	0.6m	0.8m																													
Road Crossing	0.6m	IV	0.6m	0.9m																													
Agricultural	0.6m	IV	0.75m	1.1m																													
Services	IV	IV	0.6m	0.8m																													
		IV	0.6m	0.9m																													
		IV	0.75m	1.1m																													
<p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																	



15

Warning: PDF designed for A3 colour print only with no page scaling



Dig Sites Area: --- Line: ---

Date Requested: 11/06/2021
 Job Reference: 22378388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Voltage (V)	
LV (Low Voltage) and Services	Up to 1,000V
Medium Voltage	1,100V to 17,500V
HV (Extra High Voltage)	22,000V to 400,000V
Transmission	
Services	LV HV EHV
Footpath/Unmade	0.45m 0.6m 0.8m
Road Crossing	0.6m 0.6m 0.75m
Agricultural	0m 0m 1.1m
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid	

Legend	
Service Cable	10kV
17.5kV	6.6kV
11kV	22kV
22kV	66kV
66kV	132kV
132kV	275kV
275kV	400kV
400kV	EHV
EHV	EHV
Distribution Structures (Electric)	
Peak Building Location	Peak Structure Existing Location - Engal
Peak Structure Existing Location - Engal	Peak Structure Existing Location - HV
Duct Route	Cross Section Route




Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 048 3516

If you're unsure & need to seek advice before commencing excavations please contact:
asset@scsn.com
 Subject to revision – Master held by SSE in Asset Data Team:
 01256 337 294



Warning: PDF designed for A3 colour print only with no page scaling

<p>Date Requested: 11/06/2021 Job Reference: 22378388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>50 m</p> <p>Dig Sites Area: Line: </p>	<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Voltagers (V) LV (Low Voltage) and Services Up to 1,000V MV (Medium Voltage) 1.1kV to 17.5kV HV (Extra High Voltage) 22,000V to 400,000V Transmission 275,000V and 400,000V</p> <p>NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN LAD</p> <table border="1" style="font-size: small;"> <tr> <td>Footpath/Unmade Road Crossing</td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>EV</td> <td>0.8m</td> </tr> <tr> <td>Agricultural</td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>EV</td> <td>0.9m</td> </tr> <tr> <td></td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>EV</td> <td>0.9m</td> </tr> <tr> <td></td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>EV</td> <td>1.1m</td> </tr> </table>	Footpath/Unmade Road Crossing	0.5m	IV	0.6m	EV	0.8m	Agricultural	0.5m	IV	0.6m	EV	0.9m		0.5m	IV	0.6m	EV	0.9m		0.5m	IV	0.6m	EV	1.1m
Footpath/Unmade Road Crossing	0.5m	IV	0.6m	EV	0.8m																						
Agricultural	0.5m	IV	0.6m	EV	0.9m																						
	0.5m	IV	0.6m	EV	0.9m																						
	0.5m	IV	0.6m	EV	1.1m																						
<p>Legend</p> <p>Service Cable 17.5kV 6.6kV 11kV 22kV 33kV 66kV 132kV 275kV 400kV HV EV HV Cable EV Cable</p>		<p>Distribution Structures (Electric)</p> <p>Peak Baiting Location Peak Structure Existing Location - Single Peak Structure Existing Location - HV Duct Route Cross Section Route</p>																									
<p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 088 3516 assetdata@scsn.co.uk 01256 337 294</p>		<p>Subject to revision – Master held by SSE M Asset Data Team:</p>																									
<p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																											



Warning: PDF designed for A3 colour print only with no page scaling

0 **50 m**

Dig Sites Area: Line:

Scottish & Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 048 3516
 Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
 01256 337 294

Legend

	Service Cable
	19 Mains
	6.6kV
	11kV
	22kV
	33kV
	132kV
	400kV
	Pole Cable

Distribution Structures (Electric)

	Peak Building Location
	Peak Structure Existing Location - Single
	Peak Structure Existing Location - N
	Duct Route
	Cross Section Route

Voltages (V)	Up to 1,000V	1.50m	0.8m	1.1m
LV (Low Voltage) and Services	22,000V to 132,000V	0.6m	0.75m	0.9m
EMV (Extra High Voltage)	275,000V and 400,000V	0.6m	0.75m	0.9m
Transmission		0.6m	0.75m	0.9m
Services	LV	0.6m	0.75m	0.9m
	11kV	0.6m	0.75m	0.9m
	22kV	0.6m	0.75m	0.9m
	33kV	0.6m	0.75m	0.9m
	132kV	0.6m	0.75m	0.9m
	400kV	0.6m	0.75m	0.9m
	Pole Cable	0.6m	0.75m	0.9m

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD

Footpath/Unmade	0.6m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	0.6m	0.6m	1.1m

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.







WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland Beach Road

Scale: 1:500 (When plotted at A3)


This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'), Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Warning: PDF designed for A3 colour print only with no page scaling

<p>0  50m</p>	<p>Dig Sites Area:  Line: </p>	<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Voltagers (V) LV (Low Voltage) and Services Up to 1,000V HV (Extra High Voltage) 22,000V to 132,000V Transmission 275,000V and 400,000V</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1"> <tr> <td>Services</td> <td>LV</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Footpath/Unmade Road</td> <td>LV</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Road Crossing</td> <td>LV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>LV</td> <td>0.6m</td> <td>1.1m</td> </tr> <tr> <td></td> <td>EV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td>EV</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td></td> <td>EV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td>EV</td> <td>0.6m</td> <td>1.1m</td> </tr> </table>	Services	LV	0.6m	0.8m	Footpath/Unmade Road	LV	0.6m	0.75m	Road Crossing	LV	0.6m	0.9m	Agricultural	LV	0.6m	1.1m		EV	0.6m	0.9m		EV	0.6m	0.75m		EV	0.6m	0.9m		EV	0.6m	1.1m
Services	LV	0.6m	0.8m																																
Footpath/Unmade Road	LV	0.6m	0.75m																																
Road Crossing	LV	0.6m	0.9m																																
Agricultural	LV	0.6m	1.1m																																
	EV	0.6m	0.9m																																
	EV	0.6m	0.75m																																
	EV	0.6m	0.9m																																
	EV	0.6m	1.1m																																
<p>Date Requested: 11/06/2021 Job Reference: 22378388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>Legend Service Cable 10 Mains 6.6kV 11kV 22kV 66kV 132kV 275kV 400kV HV EV HV Cable EV Cable</p> <p>Distribution Structures (Electric) Pole Erecting Location Pole Structure Existing Location - Single Pole Structure Existing Location - N Duct Route Cross Section Route</p>	<p>Scale: 1:500 (When plotted at A3)</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																	
<p></p>	<p></p> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459 General Enquiries: 0800 048 3516</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: asset.data@scsn.co.uk 01256 337 294</p> <p>Subject to revision – Master held by SSE in Asset Data Team:</p>	<p></p>																																	

Warning: PDF designed for A3 colour print only with no page scaling


<p>0 50 m</p>	<p>Dig Sites Area: Line: </p>	<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <ul style="list-style-type: none"> 10 Mains 6.6kV 11kV 22kV 66kV 132kV 275kV 400kV 400kV HV Power Cable <p>Distribution Structures (Electric)</p> <ul style="list-style-type: none"> Peak Baiting Location Peak Structure Existing Location - Single Peak Structure Existing Location - N Duct Route Cross Section Route 																																																																			
<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>Voltagers (V)</p> <table border="0"> <tr><td>Up to 1,000V</td><td>0.6m</td><td>0.8m</td></tr> <tr><td>1,000V to 11,000V</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>11,000V to 22,000V</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>22,000V to 132,000V</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>132,000V to 400,000V</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>400,000V</td><td>0.6m</td><td>0.9m</td></tr> </table> <p>Transmission</p> <table border="0"> <tr><td>Up to 1,000V</td><td>0.6m</td><td>0.8m</td></tr> <tr><td>1,000V to 11,000V</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>11,000V to 22,000V</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>22,000V to 132,000V</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>132,000V to 400,000V</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>400,000V</td><td>0.6m</td><td>0.9m</td></tr> </table> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="0"> <tr><td>Footpath/Unmade</td><td>0.5m</td><td>0.6m</td><td>0.8m</td></tr> <tr><td>Road Crossing</td><td>0.5m</td><td>0.6m</td><td>0.75m</td></tr> <tr><td>Agricultural</td><td>0.5m</td><td>0.6m</td><td>0.7m</td></tr> <tr><td>Services</td><td>0.5m</td><td>0.6m</td><td>0.7m</td></tr> <tr><td>IV</td><td>0.5m</td><td>0.6m</td><td>0.7m</td></tr> <tr><td>EV</td><td>0.5m</td><td>0.6m</td><td>0.7m</td></tr> <tr><td>BIV</td><td>0.5m</td><td>0.6m</td><td>0.7m</td></tr> <tr><td>11m</td><td>0.5m</td><td>0.6m</td><td>0.7m</td></tr> </table>	Up to 1,000V	0.6m	0.8m	1,000V to 11,000V	0.6m	0.9m	11,000V to 22,000V	0.6m	0.9m	22,000V to 132,000V	0.6m	0.9m	132,000V to 400,000V	0.6m	0.9m	400,000V	0.6m	0.9m	Up to 1,000V	0.6m	0.8m	1,000V to 11,000V	0.6m	0.9m	11,000V to 22,000V	0.6m	0.9m	22,000V to 132,000V	0.6m	0.9m	132,000V to 400,000V	0.6m	0.9m	400,000V	0.6m	0.9m	Footpath/Unmade	0.5m	0.6m	0.8m	Road Crossing	0.5m	0.6m	0.75m	Agricultural	0.5m	0.6m	0.7m	Services	0.5m	0.6m	0.7m	IV	0.5m	0.6m	0.7m	EV	0.5m	0.6m	0.7m	BIV	0.5m	0.6m	0.7m	11m	0.5m	0.6m	0.7m	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516 assetdata@scsn.co.uk 01256 337 294</p>
Up to 1,000V	0.6m	0.8m																																																																				
1,000V to 11,000V	0.6m	0.9m																																																																				
11,000V to 22,000V	0.6m	0.9m																																																																				
22,000V to 132,000V	0.6m	0.9m																																																																				
132,000V to 400,000V	0.6m	0.9m																																																																				
400,000V	0.6m	0.9m																																																																				
Up to 1,000V	0.6m	0.8m																																																																				
1,000V to 11,000V	0.6m	0.9m																																																																				
11,000V to 22,000V	0.6m	0.9m																																																																				
22,000V to 132,000V	0.6m	0.9m																																																																				
132,000V to 400,000V	0.6m	0.9m																																																																				
400,000V	0.6m	0.9m																																																																				
Footpath/Unmade	0.5m	0.6m	0.8m																																																																			
Road Crossing	0.5m	0.6m	0.75m																																																																			
Agricultural	0.5m	0.6m	0.7m																																																																			
Services	0.5m	0.6m	0.7m																																																																			
IV	0.5m	0.6m	0.7m																																																																			
EV	0.5m	0.6m	0.7m																																																																			
BIV	0.5m	0.6m	0.7m																																																																			
11m	0.5m	0.6m	0.7m																																																																			
<p>Scale: 1:500 (When plotted at A3)</p>		<p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																																																				



20

Warning: PDF designed for A3 colour print only with no page scaling

<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Fortland Beach Road</p>	<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<table border="1"> <tr> <td>Voltagers (V)</td> <td>Up to 1,000V</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>LV (Low Voltage) and Services</td> <td>1,000V to 11,500V</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>Medium Voltage</td> <td>11,500V to 33,000V</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>EW (Extra High Voltage)</td> <td>22,000V to 52,000V</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAY</td> </tr> <tr> <td>Services</td> <td>LV</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td></td> <td>11kV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td>22kV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td>33kV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td>132kV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td>275kV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td>400kV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td>500kV</td> <td>0.6m</td> <td>1.1m</td> </tr> <tr> <td></td> <td>765kV</td> <td>0.6m</td> <td>1.1m</td> </tr> <tr> <td></td> <td>1,100kV</td> <td>0.6m</td> <td>1.1m</td> </tr> </table>	Voltagers (V)	Up to 1,000V	0.6m	0.8m	LV (Low Voltage) and Services	1,000V to 11,500V	0.6m	0.9m	Medium Voltage	11,500V to 33,000V	0.6m	0.9m	EW (Extra High Voltage)	22,000V to 52,000V	0.6m	0.9m	Transmission	275,000V and 400,000V	0.6m	0.9m	NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAY				Services	LV	0.6m	0.8m		11kV	0.6m	0.9m		22kV	0.6m	0.9m		33kV	0.6m	0.9m		132kV	0.6m	0.9m		275kV	0.6m	0.9m		400kV	0.6m	0.9m		500kV	0.6m	1.1m		765kV	0.6m	1.1m		1,100kV	0.6m	1.1m	<table border="1"> <tr> <td>Legend</td> <td>Distribution Structures (Electric)</td> </tr> <tr> <td>Service Cable</td> <td>Peak Boring Location</td> </tr> <tr> <td>17 Mains</td> <td>Peak Structure Existing Location - Single</td> </tr> <tr> <td>6.6kV</td> <td>Peak Structure Existing Location - N</td> </tr> <tr> <td>11kV</td> <td>Duct Route</td> </tr> <tr> <td>22kV</td> <td>Cross Section Route</td> </tr> <tr> <td>33kV</td> <td></td> </tr> <tr> <td>132kV</td> <td></td> </tr> <tr> <td>275kV</td> <td></td> </tr> <tr> <td>400kV</td> <td></td> </tr> <tr> <td>500kV</td> <td></td> </tr> <tr> <td>765kV</td> <td></td> </tr> <tr> <td>1,100kV</td> <td></td> </tr> <tr> <td>Peak Cable</td> <td></td> </tr> </table>	Legend	Distribution Structures (Electric)	Service Cable	Peak Boring Location	17 Mains	Peak Structure Existing Location - Single	6.6kV	Peak Structure Existing Location - N	11kV	Duct Route	22kV	Cross Section Route	33kV		132kV		275kV		400kV		500kV		765kV		1,100kV		Peak Cable		<div data-bbox="1308 33 1356 436"> </div> <div data-bbox="1356 33 1516 436"> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inverchonnard House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459 General Enquiries: 0800 088 3516 If you're unsure & need to seek advice before commencing excavations please contact: assetdata@scsn.co.uk 01256 337 294</p> </div>
Voltagers (V)	Up to 1,000V	0.6m	0.8m																																																																																													
LV (Low Voltage) and Services	1,000V to 11,500V	0.6m	0.9m																																																																																													
Medium Voltage	11,500V to 33,000V	0.6m	0.9m																																																																																													
EW (Extra High Voltage)	22,000V to 52,000V	0.6m	0.9m																																																																																													
Transmission	275,000V and 400,000V	0.6m	0.9m																																																																																													
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAY																																																																																																
Services	LV	0.6m	0.8m																																																																																													
	11kV	0.6m	0.9m																																																																																													
	22kV	0.6m	0.9m																																																																																													
	33kV	0.6m	0.9m																																																																																													
	132kV	0.6m	0.9m																																																																																													
	275kV	0.6m	0.9m																																																																																													
	400kV	0.6m	0.9m																																																																																													
	500kV	0.6m	1.1m																																																																																													
	765kV	0.6m	1.1m																																																																																													
	1,100kV	0.6m	1.1m																																																																																													
Legend	Distribution Structures (Electric)																																																																																															
Service Cable	Peak Boring Location																																																																																															
17 Mains	Peak Structure Existing Location - Single																																																																																															
6.6kV	Peak Structure Existing Location - N																																																																																															
11kV	Duct Route																																																																																															
22kV	Cross Section Route																																																																																															
33kV																																																																																																
132kV																																																																																																
275kV																																																																																																
400kV																																																																																																
500kV																																																																																																
765kV																																																																																																
1,100kV																																																																																																
Peak Cable																																																																																																
<p>Scale: 1:500 (When plotted at A3)</p>	<p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																																																																															



Warning: PDF designed for A3 colour print only with no page scaling




Dig Sites Area: --- Line: ---

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

LV (Low Voltage) and Services Up to 1,000V 0.6m EM (Extra High Voltage) 22,000V to 400,000V 0.9m Transmission 275,000V and 400,000V 1.1m	Voltagers (V) Up to 1,000V 0.6m 22,000V to 400,000V 0.9m Services LV 0.6m HV 0.9m EHV 1.1m
---	--



Scottish & Southern Electricity Networks
 Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverlorn Road,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 088 3516
 Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
 01256 337 294

Post

22

Warning: PDF designed for A3 colour print only with no page scaling



50 m

Dig Sites

Area:

Line: - - - - -



Date Requested: 11/06/2021
 Job Reference: 22378388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland Beach Road

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Valages (V)	
Up to 1,000V	0.6m
Up to 11,000V	0.6m
22,000V to 132,000V	0.6m
EM (Extra High Voltage) Transmission	0.6m
NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN LAID	
Services	0.6m
LV	0.6m
IV	0.6m
EV	0.8m
Footpath/Unmade Road Crossing	0.5m
Agricultural	0.75m
	2.75m
	2.75m
	0.9m
	1.1m



Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 085 3516
 If you're unsure & need to seek advice before commencing excavations please contact:
 Subject to revision - Master held by SSE N Asset Data Team:
assetdata@scsn.com
 01256 337 294

Scale: 1:500 (When plotted at A3)

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'), Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <p>17 Mains</p> <p>6.6kV</p> <p>11kV</p> <p>22kV</p> <p>33kV</p> <p>66kV</p> <p>132kV</p> <p>275kV</p> <p>400kV</p> <p>500kV</p> <p>Peak Cable</p>	<p>Voltagers (V)</p> <p>LV (Low Voltage) and Services Up to 1,000V</p> <p>Medium Voltage 1.1kV to 33kV</p> <p>EHV (Extra High Voltage) 22,000V to 132,000V</p> <p>Transmission 275,000V and 400,000V</p>	<p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1"> <tr> <td>Services</td> <td>LV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td>0.6m</td> <td>1.1m</td> </tr> </table>	Services	LV	EHV	Footpath/Unmade	0.45m	0.6m	Road Crossing	0.6m	0.75m	Agricultural	0.6m	0.9m		0.6m	1.1m	<p>Distribution Structures (Electric)</p> <p>Peak Loading Location</p> <p>Peak Structure Existing Location - Single</p> <p>Peak Structure Existing Location - N</p> <p>Duct Route</p> <p>Cross Section Route</p>	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd.</p> <p>Registered Office: Inverlorn Road, 200 Dunkeld Road, Perth, PH1 3AQ</p> <p>Registered in Scotland No. SC213459</p> <p>General Enquiries: 0800 048 3516</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: asset@scsn.co.uk</p> <p>Subject to revision – Master held by SSE in Asset Data Team: 01256 337 294</p>
Services	LV	EHV																			
Footpath/Unmade	0.45m	0.6m																			
Road Crossing	0.6m	0.75m																			
Agricultural	0.6m	0.9m																			
	0.6m	1.1m																			
<p>Date Requested: 11/06/2021</p> <p>Job Reference: 22378388</p> <p>Site Location: 367176 075049</p> <p>Requested by: Mr Rory Casey</p> <p>Your Scheme/Reference: Portland Beach Road</p>	<p>Scale: 1:500 (When plotted at A3)</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																				

24

Warning: PDF designed for A3 colour print only with no page scaling



Date Requested: 11/06/2021
 Job Reference: 22378388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

Scale: 1:500 (When plotted at A3)

WARNING


There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Dig Sites Area: --- Line: ---

LV (Low Voltage) and Services Up to 1,000V 3,300V 6,600V EHV (Extra High Voltage) Transmission 275,000V and 400,000V	0.4m 0.6m 0.6m 0.6m 0.8m 0.9m 0.9m 1.1m	IV IV IV IV EHV EHV
--	--	------------------------------------

NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN Laid




Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverarmad House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 048 3516
 If you're unsure & need to seek advice before commencing excavations please contact:
saen@scsn.co.uk
 01256 337 294

Subject to revision – Master held by SSE in Asset Data Team:

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.


Warning: PDF designed for A3 colour print only with no page scaling

<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>0 50m</p> <p>Dig Sites Area: Line: </p>	<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable 10 Mains 6.6KV 11KV 22KV 33KV 66KV 132KV 275KV 400KV 500KV HV Cable</p> <p>Distribution Structures (Electric) Pole Erecting Location Pole Structure Existing Location - Single Pole Structure Existing Location - N Duct Route Cross Section Route</p>	<p>Voltagers (V) LV (Low Voltage) and Services Up to 1,000V 1,100V 22,000V to 132,000V HV (Extra High Voltage) Transmission</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1" style="font-size: small;"> <tr> <td>Footpath/Unmade</td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>EV</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>EV</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>EV</td> <td>1.1m</td> </tr> </table>	Footpath/Unmade	0.5m	IV	0.6m	EV	0.8m	Road Crossing	0.5m	IV	0.6m	EV	0.9m	Agricultural	0.5m	IV	0.6m	EV	1.1m	<p style="text-align: center;"></p> <p style="text-align: center;">Scottish & Southern Electricity Networks</p> <p style="font-size: x-small;">Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inverlorn Road, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459 General Enquiries: 0800 048 3516</p> <p style="font-size: x-small;">If you're unsure & need to seek advice before commencing excavations please contact: asset.data@scsn.co.uk 01256 337 294</p> <p style="font-size: x-small;">Subject to revision – Master held by SSE in Asset Data Team:</p>
Footpath/Unmade	0.5m	IV	0.6m	EV	0.8m																		
Road Crossing	0.5m	IV	0.6m	EV	0.9m																		
Agricultural	0.5m	IV	0.6m	EV	1.1m																		
<p style="font-size: x-small;">BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																							




Warning: PDF designed for A3 colour print only with no page scaling

<p>Date Requested: 11/06/2021 Job Reference: 22378388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>50 m</p> <p>Dig Sites Area: Line:</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <ul style="list-style-type: none"> 19 Main 6.6kV 11kV 22kV 66kV 132kV 275kV 400kV 500kV Other Cable <p>Distribution Structures (Electric)</p> <ul style="list-style-type: none"> Peak Building Location Peak Structure Existing Location - Single Peak Structure Existing Location - N Duct Route Cross Section Route 												
<p>Voltagers (V)</p> <p>LV (Low Voltage) and Services Up to 1,000V LV (Extra High Voltage) 22,000V to 132,000V Transmission 275,000V and 400,000V</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Footpath/Unmade</td> <td>0.5m</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.5m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>0.5m</td> <td>0.6m</td> <td>1.1m</td> </tr> </table> <p>Services LV HV EHV</p>		Footpath/Unmade	0.5m	0.6m	0.8m	Road Crossing	0.5m	0.6m	0.75m	Agricultural	0.5m	0.6m	1.1m	<p style="text-align: center;"></p>	<p style="text-align: center;"></p> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516 assetdata@scsn.co.uk 01256 337 294</p> <p>Subject to revision – Master held by SSE in Asset Data Team:</p>
Footpath/Unmade	0.5m	0.6m	0.8m												
Road Crossing	0.5m	0.6m	0.75m												
Agricultural	0.5m	0.6m	1.1m												
<p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>															



Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <p>19 Mains</p> <p>6.6kV</p> <p>11kV</p> <p>22kV</p> <p>66kV</p> <p>132kV</p> <p>275kV</p> <p>400kV</p> <p>500kV</p> <p>Peak Cable</p>	<p>Voltagers (V)</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 275,000V</p> <p>275,000V and 400,000V</p> <p>Transmission</p>	<p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <p>Services LV 0.6m</p> <p>Services HV 0.6m</p> <p>Footpath/Unmade Road 0.9m</p> <p>Road Crossing 0.9m</p> <p>Agricultural 1.1m</p>	<p>Distribution Structures (Electric)</p> <p>Peak Building Location</p> <p>Peak Structure Existing Location - Single</p> <p>Peak Structure Existing Location - N</p> <p>Duct Route</p> <p>Cross Section Route</p>			<p>Scottish and Southern Energy Power Distribution Ltd.</p> <p>Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ</p> <p>Registered in Scotland No. SC213459</p> <p>General Enquiries: 0800 048 3516</p> <p>If you're unsure & need to seek advice before commencing excavations please contact:</p> <p>Subject to revision – Master held by SSE in Asset Data Team: assetdata@scsn.co.uk 01256 337 294</p>	<p>Date Requested: 11/06/2021</p> <p>Job Reference: 22379388</p> <p>Site Location: 367176 075049</p> <p>Requested by: Mr Rory Casey</p> <p>Your Scheme/Reference: Portland Beach Road</p>	<p>Scale: 1:500 (When plotted at A3)</p> <p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>
---	--	--	--	--	--	--	--	---	---	---



28

West Bay

Warning: PDF designed for A3 colour print only with no page scaling




Dig Sites Area: --- Line: ---

Date Requested: 11/06/2021
 Job Reference: 22378388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road


WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Voltagers (V) LV (Low Voltage) and Services Up to 1,000V HV (Extra High Voltage) 22,000V to 400,000V Transmission	NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAYED <table border="1"> <tr> <td>Services</td> <td>LV</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Footpath/Unmade Road</td> <td>LV</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Road Crossing</td> <td>LV</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>LV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td>HV</td> <td>0.6m</td> <td>1.1m</td> </tr> </table>	Services	LV	0.6m	0.8m	Footpath/Unmade Road	LV	0.6m	0.75m	Road Crossing	LV	0.6m	0.75m	Agricultural	LV	0.6m	0.9m		HV	0.6m	1.1m
Services	LV	0.6m	0.8m																		
Footpath/Unmade Road	LV	0.6m	0.75m																		
Road Crossing	LV	0.6m	0.75m																		
Agricultural	LV	0.6m	0.9m																		
	HV	0.6m	1.1m																		



Scottish & Southern Electricity Networks
 Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 088 3516
 If you're unsure & need to seek advice before commencing excavations please contact:
 Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
 01256 337 294

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



29

Warning: PDF designed for A3 colour print only with no page scaling



Dig Sites Area: --- Line: ---

Date Requested: 11/06/2021
 Job Reference: 22378388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

LV (Low Voltage) and Services	Up to 1,000V	0.6m	0.8m
Medium Voltage	1,100V to 17,500V	0.6m	0.9m
EV (Extra High Voltage)	22,000V to 52,000V	0.6m	0.9m
Transmission	275,000V and 400,000V	0.6m	0.9m
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid			
Services	LV	0.6m	0.8m
	IV	0.6m	0.75m
	EV	0.6m	0.9m
Footpath/Unmade Road		0.6m	0.75m
Road Crossing		0.6m	0.75m
Agricultural		0.6m	0.9m
		0.6m	0.9m

Legend

Service Cable
 17.5kV
 6.6kV
 6.6kV
 11kV
 22kV
 33kV
 66kV
 132kV
 275kV
 400kV
 500kV
 HV Cable
 EV Cable


Distribution Structures (Electric)
 Peak Loading Location
 Peak Structure Loading Location - Single
 Peak Structure Loading Location - N
 Duct Route
 Cross Section Route



Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverlorn Road,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 088 3516

If you're unsure & need to seek advice before commencing excavations please contact:
assetdata@scsn.co.uk
 01256 337 294

Scale: 1:500 (When plotted at A3)
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <p>19 Mains</p> <p>6.6kV</p> <p>11kV</p> <p>22kV</p> <p>33kV</p> <p>66kV</p> <p>132kV</p> <p>275kV</p> <p>400kV</p> <p>500kV</p> <p>1100kV</p> <p>Peak Cable</p>	<p>Legend</p> <p>Distribution Structures (Electric)</p> <p>Peak Baiting Location</p> <p>Peak Structure Existing Location - Single</p> <p>Peak Structure Existing Location - N</p> <p>Duct Route</p> <p>Cross Section Route</p>	<p>0</p> <p>11/06/2021</p> <p>22378388</p> <p>367176 075049</p> <p>Mr Rory Casey</p> <p>Portland Beach Road</p>	<p>Voltagers (V)</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 275,000V</p> <p>275,000V and 400,000V</p> <p>Transmission</p>	<p>NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN LAD</p> <p>Services</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 275,000V</p> <p>275,000V and 400,000V</p> <p>Transmission</p>	<p>0.5m</p> <p>0.6m</p> <p>0.6m</p> <p>0.6m</p> <p>0.75m</p> <p>0.8m</p> <p>0.9m</p> <p>1.1m</p>	<p>0</p> <p>11/06/2021</p> <p>22378388</p> <p>367176 075049</p> <p>Mr Rory Casey</p> <p>Portland Beach Road</p>	<p>Voltagers (V)</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 275,000V</p> <p>275,000V and 400,000V</p> <p>Transmission</p>	<p>NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN LAD</p> <p>Services</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 275,000V</p> <p>275,000V and 400,000V</p> <p>Transmission</p>	<p>0.5m</p> <p>0.6m</p> <p>0.6m</p> <p>0.6m</p> <p>0.75m</p> <p>0.8m</p> <p>0.9m</p> <p>1.1m</p>	<p>0</p> <p>11/06/2021</p> <p>22378388</p> <p>367176 075049</p> <p>Mr Rory Casey</p> <p>Portland Beach Road</p>	<p>Voltagers (V)</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 275,000V</p> <p>275,000V and 400,000V</p> <p>Transmission</p>	<p>NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN LAD</p> <p>Services</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 275,000V</p> <p>275,000V and 400,000V</p> <p>Transmission</p>	<p>0.5m</p> <p>0.6m</p> <p>0.6m</p> <p>0.6m</p> <p>0.75m</p> <p>0.8m</p> <p>0.9m</p> <p>1.1m</p>	<p>0</p> <p>11/06/2021</p> <p>22378388</p> <p>367176 075049</p> <p>Mr Rory Casey</p> <p>Portland Beach Road</p>	<p>Voltagers (V)</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 275,000V</p> <p>275,000V and 400,000V</p> <p>Transmission</p>	<p>NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN LAD</p> <p>Services</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 275,000V</p> <p>275,000V and 400,000V</p> <p>Transmission</p>	<p>0.5m</p> <p>0.6m</p> <p>0.6m</p> <p>0.6m</p> <p>0.75m</p> <p>0.8m</p> <p>0.9m</p> <p>1.1m</p>	<p>0</p> <p>11/06/2021</p> <p>22378388</p> <p>367176 075049</p> <p>Mr Rory Casey</p> <p>Portland Beach Road</p>	<p>Voltagers (V)</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 275,000V</p> <p>275,000V and 400,000V</p> <p>Transmission</p>	<p>NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN LAD</p> <p>Services</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 275,000V</p> <p>275,000V and 400,000V</p> <p>Transmission</p>	<p>0.5m</p> <p>0.6m</p> <p>0.6m</p> <p>0.6m</p> <p>0.75m</p> <p>0.8m</p> <p>0.9m</p> <p>1.1m</p>
---	---	--	---	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--






Scottish & Southern
Electricity Networks


Scottish and Southern Energy Power Distribution Ltd.
Registered Office: Inverlorn Road,
200 Dunkeld Road, Perth, PH1 3AQ
Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
General Enquiries: 0800 048 3516
Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
01256 337 294

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'), Unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Warning: PDF designed for A3 colour print only with no page scaling

<p>0  50m</p>	<p>Dig Sites Area:  Line: </p>	<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend Service Cable 10 Mains 6.6kV 11kV 22kV 33kV 66kV 132kV 275kV 400kV 800kV HV Cable Distribution Structures (Electric) Pole Erecting Location Pole Structure Existing Location - Single Pole Structure Existing Location - N Duct Route Cross Section Route</p>	<p>Voltagers (V) LV (Low Voltage) and Services Up to 1,000V HV (Extra High Voltage) 22,000V to 132,000V Transmission 275,000V and 400,000V</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1"> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>IV</td> <td>0.6m</td> <td>EV</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>IV</td> <td>0.6m</td> <td>EV</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>0.6m</td> <td>IV</td> <td>0.75m</td> <td>EV</td> <td>1.1m</td> </tr> </table>	Footpath/Unmade	0.45m	IV	0.6m	EV	0.8m	Road Crossing	0.6m	IV	0.6m	EV	0.9m	Agricultural	0.6m	IV	0.75m	EV	1.1m
Footpath/Unmade	0.45m	IV	0.6m	EV	0.8m																	
Road Crossing	0.6m	IV	0.6m	EV	0.9m																	
Agricultural	0.6m	IV	0.75m	EV	1.1m																	
<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>Scale: 1:500 (When plotted at A3)</p>	<p>Scottish & Southern Electricity Networks Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459 If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516 Subject to revision – Master held by SSE in Asset Data Team: assetdata@scsn.co.uk 01256 337 294</p>	<p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																			



MHW


Breakwater

Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <p>19 Main</p> <p>6.6kV</p> <p>11kV</p> <p>22kV</p> <p>33kV</p> <p>66kV</p> <p>132kV</p> <p>275kV</p> <p>400kV</p> <p>500kV</p> <p>1100kV</p> <p>Peak Cable</p>	<p>Distribution Structures (Electric)</p> <p>Peak Baiting Location</p> <p>Peak Structure Existing Location - Single</p> <p>Peak Structure Existing Location - N</p> <p>Duct Route</p> <p>Cross Section Route</p>	<p>Voltagers (V)</p> <p>LV (Low Voltage) and Services</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>EHV (Extra High Voltage)</p> <p>Transmission</p> <p>275,000V and 400,000V</p>	<p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD</p> <table border="1"> <tr> <td>Footpath/Unmade</td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>EHV</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>EHV</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>EHV</td> <td>0.9m</td> </tr> <tr> <td></td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>EHV</td> <td>1.1m</td> </tr> </table>	Footpath/Unmade	0.5m	IV	0.6m	EHV	0.8m	Road Crossing	0.5m	IV	0.6m	EHV	0.9m	Agricultural	0.5m	IV	0.6m	EHV	0.9m		0.5m	IV	0.6m	EHV	1.1m	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd.</p> <p>Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516 Asset Data Enquiries: 01256 337 294</p>	<p>Date Requested: 11/06/2021</p> <p>Job Reference: 22379388</p> <p>Site Location: 367176 075049</p> <p>Requested by: Mr Rory Casey</p> <p>Your Scheme/Reference: Portland Beach Road</p> <p>Scale: 1:500 (When plotted at A3)</p>
Footpath/Unmade	0.5m	IV	0.6m	EHV	0.8m																										
Road Crossing	0.5m	IV	0.6m	EHV	0.9m																										
Agricultural	0.5m	IV	0.6m	EHV	0.9m																										
	0.5m	IV	0.6m	EHV	1.1m																										

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



33

Warning: PDF designed for A3 colour print only with no page scaling

0 50m

Date Requested: 11/06/2021
 Job Reference: 22378388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

Scale: 1:500 (When plotted at A3)

Dig Sites Area: --- Line: ---

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

<p>Voltagers (V)</p> <p>LV (Low Voltage) and Services Up to 1,000V</p> <p>MV (Medium Voltage) 11kV to 33kV</p> <p>EHV (Extra High Voltage) 22,000V to 400,000V</p> <p>Transmission</p>	<p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD</p> <table border="1"> <tr> <td>Services</td> <td>LV</td> <td>IV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.50m</td> <td>0.60m</td> <td>0.80m</td> </tr> <tr> <td>Road Crossing</td> <td>0.50m</td> <td>0.60m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>0.50m</td> <td>0.60m</td> <td>0.75m</td> </tr> <tr> <td></td> <td>0.50m</td> <td>0.60m</td> <td>1.10m</td> </tr> </table>	Services	LV	IV	EHV	Footpath/Unmade	0.50m	0.60m	0.80m	Road Crossing	0.50m	0.60m	0.75m	Agricultural	0.50m	0.60m	0.75m		0.50m	0.60m	1.10m
Services	LV	IV	EHV																		
Footpath/Unmade	0.50m	0.60m	0.80m																		
Road Crossing	0.50m	0.60m	0.75m																		
Agricultural	0.50m	0.60m	0.75m																		
	0.50m	0.60m	1.10m																		

Legend

Service Cable

- 10 Mains
- 6.6KV
- 11KV
- 22KV
- 33KV
- 400KV
- EHV
- Pole Cable

Distribution Structures (Electric)

- Peak Estimating Location
- Peak Structure Estimating Location - Single
- Peak Structure Estimating Location - N
- Duct Route
- Cable Section Route


 N
E
S
W


Scottish & Southern Electricity Networks

Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 048 3516
 If you're unsure & need to seek advice before commencing excavations please contact:
assetdata@scsn.co.uk
 01256 337 294

Subject to revision – Master held by SSE in Asset Data Team:

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50 m</p> <p>Dig Sites Area: Line: </p>	<p style="color: red; text-align: center;">WARNING</p> <p style="color: red; text-align: center;">There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p style="color: red; text-align: center;">WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <ul style="list-style-type: none"> 10 Mains 6.6kV 11kV 22kV 33kV 66kV 132kV 275kV 400kV 500kV 765kV Other Cables <p>Distribution Structures (Electric)</p> <ul style="list-style-type: none"> Peak Baiting Location Peak Structure Existing Location - Single Peak Structure Existing Location - N Duct Route Cross Section Route 	<p style="text-align: center;"></p> <p style="text-align: center;">Scottish & Southern Electricity Networks</p> <p style="text-align: center;">Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p style="text-align: center;">If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516 assetdata@scsn.com 01256 337 294</p> <p style="text-align: center;">Subject to revision – Master held by SSE in Asset Data Team:</p>																																																																																			
<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p> <p style="text-align: right;">Scale: 1:500 (When plotted at A3)</p>	<p>Voltagers (V)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Up to 1,000V</td><td>0.6m</td><td>0.6m</td><td>0.8m</td></tr> <tr><td>1,000V to 11,000V</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>11,000V to 33,000V</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>33,000V to 132,000V</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>132,000V to 275,000V</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>275,000V to 400,000V</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>400,000V and above</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> </table> <p>Transmission</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Up to 1,000V</td><td>0.6m</td><td>0.6m</td><td>0.8m</td></tr> <tr><td>1,000V to 11,000V</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>11,000V to 33,000V</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>33,000V to 132,000V</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>132,000V to 275,000V</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>275,000V to 400,000V</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>400,000V and above</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> </table> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Services</td><td>0.6m</td><td>0.6m</td><td>0.8m</td></tr> <tr><td>IV</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>EV</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>EVV</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>Footpath/Unmade</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>Road Crossing</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>Agricultural</td><td>0.6m</td><td>0.6m</td><td>0.9m</td></tr> </table>	Up to 1,000V	0.6m	0.6m	0.8m	1,000V to 11,000V	0.6m	0.6m	0.9m	11,000V to 33,000V	0.6m	0.6m	0.9m	33,000V to 132,000V	0.6m	0.6m	0.9m	132,000V to 275,000V	0.6m	0.6m	0.9m	275,000V to 400,000V	0.6m	0.6m	0.9m	400,000V and above	0.6m	0.6m	0.9m	Up to 1,000V	0.6m	0.6m	0.8m	1,000V to 11,000V	0.6m	0.6m	0.9m	11,000V to 33,000V	0.6m	0.6m	0.9m	33,000V to 132,000V	0.6m	0.6m	0.9m	132,000V to 275,000V	0.6m	0.6m	0.9m	275,000V to 400,000V	0.6m	0.6m	0.9m	400,000V and above	0.6m	0.6m	0.9m	Services	0.6m	0.6m	0.8m	IV	0.6m	0.6m	0.9m	EV	0.6m	0.6m	0.9m	EVV	0.6m	0.6m	0.9m	Footpath/Unmade	0.6m	0.6m	0.9m	Road Crossing	0.6m	0.6m	0.9m	Agricultural	0.6m	0.6m	0.9m	<p style="text-align: center;">BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.</p> <p style="text-align: center;">This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>
Up to 1,000V	0.6m	0.6m	0.8m																																																																																			
1,000V to 11,000V	0.6m	0.6m	0.9m																																																																																			
11,000V to 33,000V	0.6m	0.6m	0.9m																																																																																			
33,000V to 132,000V	0.6m	0.6m	0.9m																																																																																			
132,000V to 275,000V	0.6m	0.6m	0.9m																																																																																			
275,000V to 400,000V	0.6m	0.6m	0.9m																																																																																			
400,000V and above	0.6m	0.6m	0.9m																																																																																			
Up to 1,000V	0.6m	0.6m	0.8m																																																																																			
1,000V to 11,000V	0.6m	0.6m	0.9m																																																																																			
11,000V to 33,000V	0.6m	0.6m	0.9m																																																																																			
33,000V to 132,000V	0.6m	0.6m	0.9m																																																																																			
132,000V to 275,000V	0.6m	0.6m	0.9m																																																																																			
275,000V to 400,000V	0.6m	0.6m	0.9m																																																																																			
400,000V and above	0.6m	0.6m	0.9m																																																																																			
Services	0.6m	0.6m	0.8m																																																																																			
IV	0.6m	0.6m	0.9m																																																																																			
EV	0.6m	0.6m	0.9m																																																																																			
EVV	0.6m	0.6m	0.9m																																																																																			
Footpath/Unmade	0.6m	0.6m	0.9m																																																																																			
Road Crossing	0.6m	0.6m	0.9m																																																																																			
Agricultural	0.6m	0.6m	0.9m																																																																																			

35

Warning: PDF designed for A3 colour print only with no page scaling

0 50 m

Dig Sites Area: Line: ---

Date Requested: 11/06/2021
Job Reference: 22378388
Site Location: 367176 075049
Requested by:
Mr Rory Casey
Your Scheme/Reference: Portland
Beach Road

WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

LV (Low Voltage) and Services Up to 1,000V 230V and 400V EHV (Extra High Voltage)	Services 0.5m 0.6m 0.8m 1.1m
Transmission 275,000V and 400,000V	IV 0.6m 0.8m 1.1m
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD	EHV 0.8m 0.9m 1.1m
Footpath/Unmade Road Crossing 0.5m	IV 0.6m 0.8m 1.1m
Agricultural 0.5m	IV 0.6m 0.8m 1.1m

Legend	Distribution Structures (Electric)
Service Cable	Peak Excavation Location
19 Mains	Peak Structure Excavation Location - Single
6.6kV	Peak Structure Excavation Location - N
11kV	Duct Route
22kV	Cross Section Route
33kV	
66kV	
132kV	
275kV	
400kV	
EHV	
Other Cables	




Scottish and Southern Energy Power Distribution Ltd.
Registered Office: Inverlorn Road,
200 Dunkeld Road, Perth, PH1 3AQ
Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
General Enquiries: 0800 048 3516
Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
01256 337 294

Scale: 1:500 (When plotted at A3)

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



Warning: PDF designed for A3 colour print only with no page scaling

0 **50 m**

Dig Sites Area: Line:

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland Beach Road

Legend

Service Cable

- 10 kV
- 6.6 kV
- 11 kV
- 22 kV
- 33 kV
- 66 kV
- 132 kV
- 275 kV
- 400 kV
- 500 kV
- 765 kV

Distribution Structures (Electric)

- Peak Loading Location
- Peak Structure Existing Location - Single
- Peak Structure Existing Location - N
- Duct Route
- Cross Section Route

Valages (V)

LV (Low Voltage) and Services	Up to 1,000V	0.6m	0.8m
MV (Medium Voltage)	11,000V to 33,000V	0.6m	0.9m
HV (Extra High Voltage)	22,000V to 400,000V	0.6m	1.1m
Transmission	275,000V and 400,000V	0.6m	1.1m

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD

Services	LV	0.6m	0.8m
Footpath/Jurimade	0.6m	0.6m	0.9m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	0.6m	0.6m	1.1m

Scottish & Southern Electricity Networks


Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inveralmond House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
 General Enquiries: 0800 088 3516
 Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
 01256 337 294

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <p>19 Mains</p> <p>6.6kV</p> <p>11kV</p> <p>22kV</p> <p>66kV</p> <p>132kV</p> <p>275kV</p> <p>400kV</p> <p>500kV</p> <p>Peak Cable</p> <p>Distribution Structures (Electric)</p> <p>Peak Building Location</p> <p>Peak Structure Existing Location - Single</p> <p>Peak Structure Existing Location - N</p> <p>Duct Route</p> <p>Cross Section Route</p>	<p>Voltagers (V)</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 400,000V</p> <p>400,000V to 500,000V</p> <p>Transmission</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1"> <tr> <td>Services</td> <td>0.5m</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.5m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>Road Crossing</td> <td>0.5m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>0.5m</td> <td>0.6m</td> <td>1.1m</td> </tr> </table> <p>IV</p> <p>11kV</p> <p>22kV</p> <p>66kV</p> <p>132kV</p> <p>275kV</p> <p>400kV</p> <p>500kV</p>	Services	0.5m	0.6m	0.8m	Footpath/Unmade	0.5m	0.6m	0.9m	Road Crossing	0.5m	0.6m	0.75m	Agricultural	0.5m	0.6m	1.1m
Services	0.5m	0.6m	0.8m																
Footpath/Unmade	0.5m	0.6m	0.9m																
Road Crossing	0.5m	0.6m	0.75m																
Agricultural	0.5m	0.6m	1.1m																
<p>Date Requested: 11/06/2021</p> <p>Job Reference: 22379388</p> <p>Site Location: 367176 075049</p> <p>Requested by: Mr Rory Casey</p> <p>Your Scheme/Reference: Portland Beach Road</p>	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd.</p> <p>Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ</p> <p>Registered in Scotland No. SC213459</p> <p>General Enquiries: 0800 048 3516</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: asset.data@scsn.com</p> <p>Subject to revision – Master held by SSE in Asset Data Team: 01256 337 294</p>	<p>Scale: 1:500 (When plotted at A3)</p> <p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																	



Warning: PDF designed for A3 colour print only with no page scaling



Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


LV (Low Voltage) and Services Up to 1,000V EHT (Extra High Voltage) Transmission	0.5m 0.5m 0.5m
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD	
Services	0.6m
IV	0.6m
EV	0.8m
Footpath/Jurimade	0.75m
Road Crossing	0.9m
Agricultural	1.1m

Legend	
Service Cable	Distribution Structures (Electric)
19 Mains	Peak Billing Location
6.6kV	Peak Structure Existing Location - Single
11kV	Peak Structure Existing Location - N
22kV	Duct Route
33kV	Cross Section Route
40kV	
66kV	
132kV	
275kV	
400kV	
800kV	
Peak Cable	

Voltagers (V)
 Up to 1,000V
 1.1kV to 1.5kV
 22,000V to 132,000V
 275,000V and 400,000V



Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverlorn Road,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 048 3516
 If you're unsure & need to seek advice before commencing excavations please contact:
 Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
 01256 337 294



39

Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50 m</p>	<p>Dig Sites Area: Line: </p>	<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>																																							
<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Voltagers (V)</p> <table border="1"> <tr><td>Up to 1,000V</td><td>0.6m</td><td>0.8m</td></tr> <tr><td>1,000V to 17.5kV</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>17.5kV to 132,000V</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>132,000V to 400,000V</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>400,000V and above</td><td>0.6m</td><td>0.9m</td></tr> </table> <p>Transmission</p> <table border="1"> <tr><td>275,000V and 400,000V</td><td>0.6m</td><td>0.9m</td></tr> </table> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD</p> <table border="1"> <tr><td>Services</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>IV</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>EV</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>BIV</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>Footpath/Unmade</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>Road Crossing</td><td>0.6m</td><td>0.9m</td></tr> <tr><td>Agricultural</td><td>0.6m</td><td>0.9m</td></tr> </table>	Up to 1,000V	0.6m	0.8m	1,000V to 17.5kV	0.6m	0.9m	17.5kV to 132,000V	0.6m	0.9m	132,000V to 400,000V	0.6m	0.9m	400,000V and above	0.6m	0.9m	275,000V and 400,000V	0.6m	0.9m	Services	0.6m	0.9m	IV	0.6m	0.9m	EV	0.6m	0.9m	BIV	0.6m	0.9m	Footpath/Unmade	0.6m	0.9m	Road Crossing	0.6m	0.9m	Agricultural	0.6m	0.9m	<p>Legend</p> <p>Service Cable</p> <ul style="list-style-type: none"> 17.5kV 6.6kV 11kV 22kV 33kV 66kV 132kV 275kV 400kV 500kV 765kV Other Cable <p>Distribution Structures (Electric)</p> <ul style="list-style-type: none"> Peak Building Location Peak Structure Existing Location - Engal Peak Structure Existing Location - H Duct Route Cross Section Route
Up to 1,000V	0.6m	0.8m																																							
1,000V to 17.5kV	0.6m	0.9m																																							
17.5kV to 132,000V	0.6m	0.9m																																							
132,000V to 400,000V	0.6m	0.9m																																							
400,000V and above	0.6m	0.9m																																							
275,000V and 400,000V	0.6m	0.9m																																							
Services	0.6m	0.9m																																							
IV	0.6m	0.9m																																							
EV	0.6m	0.9m																																							
BIV	0.6m	0.9m																																							
Footpath/Unmade	0.6m	0.9m																																							
Road Crossing	0.6m	0.9m																																							
Agricultural	0.6m	0.9m																																							
<p></p>		<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inverchonnard House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516 asset.data@scsn.co.uk 01256 337 294</p>																																							
<p>Scale: 1:500 (When plotted at A3)</p> <p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																									

40

Warning: PDF designed for A3 colour print only with no page scaling

0 50m

Dig Sites Area: Line: ---

Date Requested: 11/06/2021
Job Reference: 22379388
Site Location: 367176 075049
Requested by:
Mr Rory Casey
Your Scheme/Reference: Portland
Beach Road

WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Voltages (V)		Services		EV	
Up to 1,000V	Up to 1,000V	Up to 1,000V	Up to 1,000V	Up to 1,000V	Up to 1,000V
11kV	11kV	11kV	11kV	11kV	11kV
22,000V to 132,000V	22,000V to 132,000V	22,000V to 132,000V	22,000V to 132,000V	22,000V to 132,000V	22,000V to 132,000V
275,000V and 400,000V	275,000V and 400,000V	275,000V and 400,000V	275,000V and 400,000V	275,000V and 400,000V	275,000V and 400,000V
NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN Laid					
Footpath/Unmade	0.50m	IV	0.6m	EV	0.8m
Road Crossing	0.8m	IV	0.6m	EV	0.9m
Agricultural	1m	IV	0.75m	EV	1.1m

Legend	
Service Cable	19 Mains
11kV	6.6kV
22kV	132kV
275kV	400kV
400kV	400kV
19 Mains	19 Mains
Peak Buried Location	Peak Buried Location
Peak Surface Location	Peak Surface Location
Duct Route	Cross Section Route

Distribution Structures (Electric)
Peak Buried Location
Peak Surface Location
Duct Route
Cross Section Route



Scottish and Southern Energy Power Distribution Ltd.
Registered Office: Inveralmond House,
200 Dunkeld Road, Perth, PH1 3AQ
Registered in Scotland No. SC213459
General Enquiries: 0800 048 3516
If you're unsure & need to seek advice before commencing excavations please contact:
asset@scsn.com
01256 337 294

Subject to revision – Master held by SSE in Asset Data Team:

Scale: 1:500 (When plotted at A3)
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the ACT provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Warning: PDF designed for A3 colour print only with no page scaling

0 50 m

Dig Sites Area: Line:

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

<p>Voltagers (V)</p> <p>LV (Low Voltage) and Services Up to 1,000V 11kV HV (Extra High Voltage) 22,000V to 132,000V 275,000V and 400,000V Transmission</p>	<p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1"> <tr> <td>Services</td> <td>LV</td> <td>IV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.5m</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.5m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>0m</td> <td>0m</td> <td>1.1m</td> </tr> </table>	Services	LV	IV	EHV	Footpath/Unmade	0.5m	0.6m	0.8m	Road Crossing	0.5m	0.6m	0.75m	Agricultural	0m	0m	1.1m
Services	LV	IV	EHV														
Footpath/Unmade	0.5m	0.6m	0.8m														
Road Crossing	0.5m	0.6m	0.75m														
Agricultural	0m	0m	1.1m														

<p>Legend</p> <p>Service Cable</p> <p>19 Mains</p> <p>6.6kV</p> <p>11kV</p> <p>22kV</p> <p>33kV</p> <p>66kV</p> <p>132kV</p> <p>275kV</p> <p>400kV</p> <p>EHV</p> <p>Other Cables</p>	<p>Distribution Structures (Electric)</p> <p>Peak Baiting Location</p> <p>Peak Structure Existing Location - Single</p> <p>Peak Structure Existing Location - N</p> <p>Duct Route</p> <p>Cross Section Route</p>
--	---



Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459


If you're unsure & need to seek advice before commencing excavations please contact:
 General Enquiries: 0800 086 3516

Subject to revision – Master held by SSE in Asset Data Team:
www.sse.co.uk
 01256 337 294

Scale: 1:500 (When plotted at A3)

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.


This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



42

Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <p>19 Main</p> <p>6.6kV</p> <p>11kV</p> <p>22kV</p> <p>33kV</p> <p>66kV</p> <p>132kV</p> <p>275kV</p> <p>400kV</p> <p>500kV</p> <p>Peak Cable</p>	<p>Voltagers (V)</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 275,000V</p> <p>275,000V and 400,000V</p> <p>Transmission</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <p>Services LV 0.6m</p> <p>Services MV 0.6m</p> <p>Services HV 0.6m</p> <p>Footpath/Unmade Road 0.9m</p> <p>Road Crossing 0.9m</p> <p>Agricultural 1.1m</p>	<p>Distribution Structures (Electric)</p> <p>Peak Baiting Location</p> <p>Peak Structure Existing Location - Single</p> <p>Peak Structure Existing Location - N</p> <p>Duct Route</p> <p>Cross Section Route</p>	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd.</p> <p>Registered Office: Inverlorn Road, 200 Dunkeld Road, Perth, PH1 3AQ</p> <p>Registered in Scotland No. SC213459</p> <p>General Enquiries: 0800 088 3516</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: asset@scsn.co.uk</p> <p>Subject to revision – Master held by SSE M Asset Data Team: 01256 337 294</p>
<p>Date Requested: 11/06/2021</p> <p>Job Reference: 22378388</p> <p>Site Location: 367176 075049</p> <p>Requested by: Mr Rory Casey</p> <p>Your Scheme/Reference: Portland Beach Road</p>	<p>Scale: 1:500 (When plotted at A3)</p>	<p>Based upon the Ordnance Survey map with the sanction of the Controller of the Stationery Office Crown Copyright Reserved.</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>	<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>



Warning: PDF designed for A3 colour print only with no page scaling

Legend

Service Cable

- 19 Mains
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- 500kV
- Other Cables

Distribution Structures (Electric)

- Peak Baiting Location
- Peak Structure Existing Location - Single
- Peak Structure Existing Location - N
- Duct Route
- Cross Section Route

Voltagers (V)

Up to 1,000V	0.6m	0.6m	0.8m
1,000V to 11,000V	0.6m	0.6m	0.9m
11,000V to 22,000V	0.6m	0.6m	0.9m
22,000V to 132,000V	0.6m	0.6m	0.9m
132,000V to 275,000V	0.6m	0.6m	0.9m
275,000V and 400,000V	0.6m	0.6m	0.9m

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid

Services	IV	0.6m	0.8m
IV	IV	0.6m	0.8m
Footpath/Unmade	0.6m	0.6m	0.75m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	0.6m	0.6m	1.1m

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland Beach Road

Scale: 1:500 (When plotted at A3)

Dig Sites Area: Line:

Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 085 3516
 If you're unsure & need to seek advice before commencing excavations please contact:
asset.data@scsn.co.uk
 01256 337 294


BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



44

Warning: PDF designed for A3 colour print only with no page scaling

<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <p>19 Mains 6.6KV 11KV 22KV 33KV 132KV 275KV 400KV 500KV HV Cable</p> <p>Distribution Structures (Electric)</p> <p>Peak Building Location Peak Structure Existing Location - Engar Peak Structure Existing Location - H Duct Route Cross Section Route</p>	<p>Voltagers (V)</p> <p>Up to 1,000V 1,000V to 11,000V 11,000V to 22,000V 22,000V to 132,000V 132,000V to 275,000V 275,000V and 400,000V Transmission</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1"> <tr> <td>Footpath/Unmade</td> <td>0.6m</td> <td>IV</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>IV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>0.6m</td> <td>IV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td>0.6m</td> <td>IV</td> <td>0.6m</td> <td>1.1m</td> </tr> </table>	Footpath/Unmade	0.6m	IV	0.6m	0.8m	Road Crossing	0.6m	IV	0.6m	0.9m	Agricultural	0.6m	IV	0.6m	0.9m		0.6m	IV	0.6m	1.1m
Footpath/Unmade	0.6m	IV	0.6m	0.8m																				
Road Crossing	0.6m	IV	0.6m	0.9m																				
Agricultural	0.6m	IV	0.6m	0.9m																				
	0.6m	IV	0.6m	1.1m																				
				<p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inverchonnard House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459 General Enquiries: 0800 048 3516 If you're unsure & need to seek advice before commencing excavations please contact: asset.data@scsn.co.uk 01256 337 294</p>																				
<p>Scale: 1:500 (When plotted at A3)</p> <p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																								



Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <p>19 Mains</p> <p>6.6kV</p> <p>11kV</p> <p>22kV</p> <p>66kV</p> <p>132kV</p> <p>275kV</p> <p>400kV</p> <p>500kV</p> <p>1100kV</p> <p>Peak Burial Location</p> <p>Peak Burial Location - Single</p> <p>Peak Burial Location - Multiple</p> <p>Duct Route</p> <p>Cross Section Route</p>	<p>Voltagers (V)</p> <p>LV (Low Voltage) and Services Up to 1,000V</p> <p>EMV (Extra High Voltage) 22,000V to 132,000V</p> <p>Transmission 275,000V and 400,000V</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD</p> <table border="1"> <tr> <td>Services</td> <td>LV</td> <td>EMV</td> </tr> <tr> <td>Footpath/Unmade Road</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td>0.6m</td> <td>1.1m</td> </tr> </table>	Services	LV	EMV	Footpath/Unmade Road	0.45m	0.6m	Road Crossing	0.6m	0.75m	Agricultural	0.6m	0.9m		0.6m	1.1m	<p>Date Requested: 11/06/2021</p> <p>Job Reference: 22378388</p> <p>Site Location: 367176 075049</p> <p>Requested by: Mr Rory Casey</p> <p>Your Scheme/Reference: Portland Beach Road</p> <p>Scale: 1:500 (When plotted at A3)</p>			<p>Scottish and Southern Energy Power Distribution Ltd.</p> <p>Registered Office: Inverlorn Road, Perth, PH1 3AQ</p> <p>Registered in Scotland No. SC213459</p> <p>General Enquiries: 0800 048 3516</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: asset@scsn.co.uk</p> <p>Subject to revision – Master held by SSE in Asset Data Team: 01256 337 294</p>
Services	LV	EMV																				
Footpath/Unmade Road	0.45m	0.6m																				
Road Crossing	0.6m	0.75m																				
Agricultural	0.6m	0.9m																				
	0.6m	1.1m																				

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

47

Warning: PDF designed for A3 colour print only with no page scaling

0 50m

Dig Sites Area: --- Line: ---

Date Requested: 11/06/2021
Job Reference: 22378388
Site Location: 367176 075049
Requested by:
Mr Rory Casey
Your Scheme/Reference: Portland
Beach Road

WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

LV (Low Voltage) and Services	Up to 1,000V	0.6m	0.8m
Medium Voltage	1,000V to 17.5kV	0.6m	0.9m
EV (Extra High Voltage)	22,000V to 132,000V	0.6m	0.9m
Transmission	275,000V and 400,000V	0.6m	0.9m

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD

Services	LV	0.6m	0.8m
	IV	0.6m	0.9m
	EV	0.6m	0.9m
Footpath/Unmade		0.6m	0.75m
Road Crossing		0.6m	0.75m
Agricultural		0.6m	1.1m

Legend

Service Cable

- 17.5kV
- 11kV
- 6.6kV
- 3.3kV
- 22kV
- 11kV
- 6.6kV
- 3.3kV
- 132kV
- 275kV
- 400kV
- 132kV
- 275kV
- 400kV
- 132kV
- 275kV
- 400kV

Distribution Structures (Electric)

- Peak Building Location
- Peak Structure Existing Location - Single
- Peak Structure Existing Location - N
- Duct Route
- Cross Section Route




Scottish and Southern Energy Power Distribution Ltd.
Registered Office: Inveralmond House,
200 Dunkeld Road, Perth, PH1 3AQ
Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
General Enquiries: 0800 048 3516
Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
01256 337 294

Scale: 1:500 (When plotted at A3)

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



Warning: PDF designed for A3 colour print only with no page scaling

Date Requested: 11/06/2021
 Job Reference: 22378388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Voltage (V)		Normal Depth to the Top of the Cable when Laid	
LV (Low Voltage) and Services	Up to 1,000V	Footpath/Jurisdic	0.5m
MV (Medium Voltage)	1.1kV to 17.5kV	Road Crossing	0.6m
HTV (Extra High Voltage)	22.0kV to 132.0kV	Agricultural	0.75m
Transmission	275.0kV and 400.0kV	Services	0.6m
		IV	0.6m
		BIV	0.8m
		133kV	0.9m
		275kV	1.1m




Legend		Distribution Structures (Electric)	
Service Cable	19 Main	Peak Loading Location	Peak Structure Loading Location - Single
11kV	6.6kV	Peak Structure Loading Location - H	Peak Structure Loading Location - H
22kV	133kV	Duct Route	Cross Section Note
133kV	400kV	Peak Cable	

0 50m Dig Sites Area: Line: ---


Scottish & Southern Electricity Networks
 Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 If you're unsure & need to seek advice before commencing excavations please contact:
 General Enquiries: 0800 088 3516
 Subject to revision - Master held by SSE in Asset Data Team:
 01256 337 294

Scale: 1:500 (When plotted at A3)
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Warning: PDF designed for A3 colour print only with no page scaling

<p>0  50 m</p>	<p>Dig Sites Area:  Line: </p>	<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>0 50m Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>																	
<p>Voltagers (V) LV (Low Voltage) and Services Up to 1,000V 11kV HV (Extra High Voltage) 22,000V to 132,000V 275,000V and 400,000V Transmission</p> <p>NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1"> <tr> <td>Footpath/Unmade</td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>EV</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>EV</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>0.5m</td> <td>IV</td> <td>0.75m</td> <td>EV</td> <td>1.1m</td> </tr> </table>	Footpath/Unmade	0.5m	IV	0.6m	EV	0.8m	Road Crossing	0.5m	IV	0.6m	EV	0.9m	Agricultural	0.5m	IV	0.75m	EV	1.1m	<p>Legend</p> <p>Service Cable</p> <ul style="list-style-type: none"> 19 Mains 6.6kV 11kV 22kV 33kV 66kV 132kV 275kV 400kV 500kV 765kV 1100kV <p>Distribution Structures (Electric)</p> <ul style="list-style-type: none"> Peak Baiting Location Peak Structure Existing Location - Single Peak Structure Existing Location - N Duct Route Cross Section Route 	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516 assetdata@scsn.co.uk 01256 337 294</p> <p>Subject to revision – Master held by SSE in Asset Data Team:</p>
Footpath/Unmade	0.5m	IV	0.6m	EV	0.8m															
Road Crossing	0.5m	IV	0.6m	EV	0.9m															
Agricultural	0.5m	IV	0.75m	EV	1.1m															


BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the ACT provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



50

Warning: PDF designed for A3 colour print only with no page scaling


<p>0 50 m</p>	<p>Dig Sites Area: Line: </p>	<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend Service Cable 19 Main 6.6kV 11kV 22kV 33kV 66kV 132kV 275kV 400kV 500kV Pole Cable</p> <p>Distribution Structures (Electric) Peak Baiting Location Peak Structure Existing Location - Single Peak Structure Existing Location - N Duct Route Cross Section Route</p>	<p>Voltagers (V) LV (Low Voltage) and Services Up to 1,000V 1,000V to 11,000V 11,000V to 132,000V EHV (Extra High Voltage) Transmission 275,000V and 400,000V</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD Services LV 0.6m IV 0.6m EHV 0.8m Footpath/Unmade Road Crossing 0.5m Agricultural 0.6m 1.1m</p>	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459 General Enquiries: 0800 088 3516 If you're unsure & need to seek advice before commencing excavations please contact: Subject to revision – Master held by SSE in Asset Data Team: assetdata@scsn.co.uk 01256 337 294</p>
<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>Scale: 1:500 (When plotted at A3)</p>	<p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>	<p>0</p>	<p>0</p>	



51


Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50 m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cable</p> <p>19 kV</p> <p>6.6 kV</p> <p>11kV</p> <p>22kV</p> <p>33kV</p> <p>66kV</p> <p>132kV</p> <p>275kV</p> <p>400kV</p> <p>500kV</p> <p>Peak Cable</p>	<p>Voltagers (V)</p> <p>Up to 1,000V</p> <p>1,000V to 11,000V</p> <p>11,000V to 22,000V</p> <p>22,000V to 132,000V</p> <p>132,000V to 400,000V</p> <p>400,000V to 500,000V</p> <p>Transmission</p>	<p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD</p> <p>Services 1V 0.6m</p> <p>11V 0.6m</p> <p>22kV 0.6m</p> <p>33kV 0.75m</p> <p>66kV 0.9m</p> <p>132kV 1.1m</p> <p>275kV 1.1m</p> <p>400kV 1.1m</p> <p>500kV 1.1m</p>	<p>Distribution Structures (Electric)</p> <p>Peak Baiting Location</p> <p>Peak Structure Existing Location - Single</p> <p>Peak Structure Existing Location - N</p> <p>Duct Route</p> <p>Cross Section Route</p>	<p>0 50 m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>Date Requested: 11/06/2021</p> <p>Job Reference: 22379388</p> <p>Site Location: 367176 075049</p> <p>Requested by: Mr Rory Casey</p> <p>Your Scheme/Reference: Portland Beach Road</p>	<p>Scale: 1:500 (When plotted at A3)</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd.</p> <p>Registered Office: Inverholland House, 200 Dunkeld Road, Perth, PH1 3AQ</p> <p>Registered in Scotland No. SC213459</p> <p>General Enquiries: 0800 048 3516</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: asset.data@scsn.co.uk</p> <p>Subject to revision – Master held by SSE in Asset Data Team: 01256 337 294</p>	<p>Scottish & Southern Electricity Networks</p>	<p>Scottish & Southern Electricity Networks</p>	<p>Scottish & Southern Electricity Networks</p>
--	--	--	---	---	---	--	---	---	---	--	--	--



Warning: PDF designed for A3 colour print only with no page scaling

	<p>Dig Sites Area: Line: </p>			<p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inverlorn Road, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459 General Enquiries: 0800 088 3516 If you're unsure & need to seek advice before commencing excavations please contact: asset.data@scsn.co.uk Subject to revision – Master held by SSE in Asset Data Team: 01256.137.294</p>																												
<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>WARNING There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<table border="1"> <thead> <tr> <th colspan="2">Voltagers (V)</th> <th colspan="2">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> <td>LV</td> <td>0.6m</td> </tr> <tr> <td>EV (Extra High Voltage)</td> <td>110kV to 400kV</td> <td>EV</td> <td>0.8m</td> </tr> <tr> <td>Transmission</td> <td>22,000V to 400,000V</td> <td>EV</td> <td>0.9m</td> </tr> <tr> <td></td> <td>275,000V and 400,000V</td> <td>EV</td> <td>1.1m</td> </tr> <tr> <td colspan="2">Footpath/Unmade Road Crossing</td> <td>EV</td> <td>0.75m</td> </tr> <tr> <td colspan="2">Agricultural</td> <td>EV</td> <td>1m</td> </tr> </tbody> </table>	Voltagers (V)		NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD		LV (Low Voltage) and Services	Up to 1,000V	LV	0.6m	EV (Extra High Voltage)	110kV to 400kV	EV	0.8m	Transmission	22,000V to 400,000V	EV	0.9m		275,000V and 400,000V	EV	1.1m	Footpath/Unmade Road Crossing		EV	0.75m	Agricultural		EV	1m	<p>Scale: 1:500 (When plotted at A3)</p>	<p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>
Voltagers (V)		NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD																														
LV (Low Voltage) and Services	Up to 1,000V	LV	0.6m																													
EV (Extra High Voltage)	110kV to 400kV	EV	0.8m																													
Transmission	22,000V to 400,000V	EV	0.9m																													
	275,000V and 400,000V	EV	1.1m																													
Footpath/Unmade Road Crossing		EV	0.75m																													
Agricultural		EV	1m																													



Warning: PDF designed for A3 colour print only with no page scaling

Date Requested: 11/06/2021
Job Reference: 22379388
Site Location: 367176 075049
Requested by: Mr Rory Casey
Your Scheme/Reference: Portland Beach Road

Scale: 1:500 (When plotted at A3)

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

0 **50m**

Dig Sites **Area:** **Line:**

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Legend

Service Cable

- 1V Mains
- 2-23kV
- 33kV
- 22kV
- 33kV
- 66kV
- 110kV
- 275kV
- 400kV
- High Voltage
- Power Cable

Structure

- Point to structure, existing location - Single
- Point to structure, existing location - M
- Duct route
- Cross Section Route

Volages (V)

Up to 1,000V
 1,100V
 22,000V to 33,000V
 33kV (Extra High Voltage)
 Transmission

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD

Footpath/Jurisdic	0.45m	IV	0.6m	61V
Road Crossing	0.6m	IV	0.6m	0.8m
Agricultural	0.6m	IV	0.75m	0.9m
	0.6m	IV	0.9m	1.1m

Background Structures (Hatched)

- Point to existing location
- Point to structure, existing location - Single
- Point to structure, existing location - M
- Duct route
- Cross Section Route

Scottish & Southern Electricity Networks

Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inveralmond House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
 General Enquiries: 0800 048 3516
assetdata@scsn.co.uk
 Subject to revision – Master held by SSE M Asset Data Team:
 01256 337 294

2

Warning: PDF designed for A3 colour print only with no page scaling

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

0 50m

Dig Sites Area: Line:

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Legend

Service Cable	11kV
11kV	2-23kV
2-23kV	33kV
33kV	66kV
66kV	110kV
110kV	275kV
275kV	400kV
400kV	High Voltage
High Voltage	Power Cable

Watercourse Structure (Marked)

- Point Existing Location
- Point to secure Existing Location - Single
- Point Structure Existing Location - H
- Duct Route
- Cross Section Route

Voltagers (V)

Up to 1,000V	0.6m	0.6m	0.8m
1,000V to 11,000V	0.6m	0.6m	0.9m
11,000V to 22,000V	0.6m	0.6m	0.9m
22,000V to 132,000V	0.6m	0.6m	0.9m
132,000V to 400,000V	0.6m	0.6m	0.9m

Transmission

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD

Services	11kV	66kV	110kV	275kV	400kV
Footpath/Unmade	0.6m	0.6m	0.75m	0.9m	1.1m
Road Crossing	0.6m	0.6m	0.75m	0.9m	1.1m
Agricultural	0.6m	0.6m	0.75m	0.9m	1.1m

Scale: 1:500 (When plotted at A3)

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the ACT provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Extra High Voltage cables in vicinity

Scottish & Southern
Electricity Networks

Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 048 3516

If you're unsure & need to seek advice before commencing excavations please contact:
asset.data@scsn.com
 01256 337 294

3

Warning: PDF designed for A3 colour print only with no page scaling



Dig Sites Area: --- Line: ---

Extra High Voltage cables in vicinity

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Voltagers (V)	
LV (Low Voltage) and Services	Up to 1,000V
Medium Voltage	1,100V to 17,500V
EHV (Extra High Voltage)	22,000V to 432,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid	
Footpath/Unmade	0.45m
Road Crossing	0.6m
Agricultural	0.75m
Services	0.6m
IV	0.6m
EHV	0.8m
275kV	0.9m
400kV	1.1m

Legend	
Service Cable	1V, 11kV, 33kV, 66kV, 110kV, 220kV, 275kV, 400kV
EHV	275kV, 400kV
Transmission	275kV, 400kV
Footpath/Unmade	0.45m
Road Crossing	0.6m
Agricultural	0.75m
Services	0.6m
IV	0.6m
EHV	0.8m
275kV	0.9m
400kV	1.1m

Interchange Structures (Marked)
 Pole, Existing Location
 Pole for future, Existing Location - Single
 Pole Structure, Existing Location - H
 Data source
 Cross Section Route



Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inveralmond House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSE in Asset Data Team:
[Asset Data Team](#)
 01256 337 294


Scale: 1:500 (When plotted at A3)

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the ACT provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50 m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cables</p> <ul style="list-style-type: none"> 1V Mains 2-23kV 33kV 275kV 33kV 10kV 100kV 275kV 400kV High Voltage Power Cable <p>Underground Structures (Marked)</p> <ul style="list-style-type: none"> Peak Existing Location Peak to be excavated, Existing Location - Single Peak Structure, Existing Location - H Duct Route Cross Section Route 	<p>Voltagers (V)</p> <p>Up to 1,000V 1,000V to 11,000V 11,000V to 22,000V 22,000V to 132,000V EHV (Extra High Voltage) Transmission</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1"> <tr> <td>Services</td> <td>1V</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.75m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>0.6m</td> <td>0.75m</td> <td>1.1m</td> </tr> </table>	Services	1V	0.6m	0.8m	Footpath/Unmade	0.6m	0.6m	0.9m	Road Crossing	0.6m	0.75m	0.9m	Agricultural	0.6m	0.75m	1.1m
Services	1V	0.6m	0.8m																
Footpath/Unmade	0.6m	0.6m	0.9m																
Road Crossing	0.6m	0.75m	0.9m																
Agricultural	0.6m	0.75m	1.1m																
<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSE in Asset Data Team: assetdata@scsn.co.uk 01256 337 294</p>	<p>Legend</p> <p>Service Cables</p> <ul style="list-style-type: none"> 1V Mains 2-23kV 33kV 275kV 33kV 10kV 100kV 275kV 400kV High Voltage Power Cable <p>Underground Structures (Marked)</p> <ul style="list-style-type: none"> Peak Existing Location Peak to be excavated, Existing Location - Single Peak Structure, Existing Location - H Duct Route Cross Section Route 	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSE in Asset Data Team: assetdata@scsn.co.uk 01256 337 294</p>																
<p>Scale: 1:500 (When plotted at A3)</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the ACT provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>		<p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.</p>																	



Warning: PDF designed for A3 colour print only with no page scaling



Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

LV (Low Voltage) and Services	Up to 1,000V	0.6m	0.8m
230V	1,000V to 1,500V	0.6m	0.9m
400V (Extra High Voltage) Transmission	22,000V to 132,000V	0.6m	0.9m
	275,000V and 400,000V	0.6m	0.9m
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD			
Footpath/Unmade	0.5m	0.6m	0.8m
Road Crossing	0.5m	0.6m	0.9m
Agricultural	0.5m	0.6m	1.1m

Legend

Service Cables
 1V Mains
 2-230V
 400V
 23kV
 110kV
 132kV
 275kV
 400kV
 1,32kV
 1,500kV
 HV (Extra High Voltage) Transmission

Other Symbols:
 Existing Location
 Pole Structure, Existing Location
 Pole Structure, Existing Location
 Duct Route
 Cross Section Route

Warning: PDF designed for A3 colour print only with no page scaling

Extra High Voltage cables in vicinity


Dig Sites Area: --- Line: ---



Scottish & Southern Electricity Networks

Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnell House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
 General Enquiries: 0800 085 3516
 Subject to revision – Master held by SSE M Asset Data Team:
www.ssen.co.uk
 01256 337 294



Warning: PDF designed for A3 colour print only with no page scaling

0 50m

Dig Sites Area: Line: ---

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Extra High Voltage cables in vicinity

Legend

Service Cables

- 1V Mains
- 2-23kV
- 33kV
- 275kV
- 33kV
- 10kV
- 100kV
- 275kV
- 400kV
- Other cables
- Proposed

Infrastructure Structures (Marked)

- Point Existing Location
- Point to secure Existing Location - Single
- Point Structure Existing Location - H
- Duct route
- Cross Section Route

Volages (V)

Up to 1,000V	0.6m	0.6m	0.8m
1,000V to 11,000V	0.6m	0.6m	0.9m
11,000V to 22,000V	0.6m	0.6m	0.9m
22,000V to 132,000V	0.6m	0.6m	0.9m
132,000V to 275,000V	0.6m	0.6m	0.9m
275,000V and 400,000V	0.6m	0.6m	0.9m

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD

Services	1V	0.6m	0.8m
Footpath/Unmade	0.6m	0.6m	0.9m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	0.6m	0.6m	0.9m

Date Requested: 11/06/2021
 Job Reference: 22378388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland Beach Road


Scale: 1:500 (When plotted at A3)

Scottish & Southern Electricity Networks

Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
 General Enquiries: 0800 048 3516
 Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
 01256 337 294

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



Warning: PDF designed for A3 colour print only with no page scaling

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

50 m

Dig Sites Area: Line:

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HSE (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A3)

Scottish & Southern
Electricity Networks

Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
 General Enquiries: 0800 048 3516
 Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.com
 01256 337 294

Legend

Service Cables

- 1V Mains
- 2-230V
- 230V
- 23kV
- 33kV
- 66kV
- 110kV
- 275kV
- 400kV
- High Voltage
- Power Cable

Metastable Structures (Marked)

- Peak Existing Location
- Peak to secure Existing Location - Single
- Peak Structure Existing Location - H
- Dart Route
- Cross Section Route

Voltagers (V)

Up to 1,000V
 1,000V to 11,000V
 11,000V to 22,000V
 22,000V to 132,000V
 HV (Extra High Voltage)
 Transmission

NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN LAD


Footpath/Unmade	0.5m	IV	0.6m	EV	0.8m
Road Crossing	0.5m	IV	0.6m	EV	0.9m
Agricultural	0.5m	IV	0.75m	EV	1.1m

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HSE (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the ACT provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50 m</p> <p>Dig Sites Area: Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cables</p> <ul style="list-style-type: none"> 1V Mains 2-23kV 33kV 275kV 33kV 66kV 110kV 275kV 400kV EHV Cables Transmission 	<p>Manholes/Structures (Marked)</p> <ul style="list-style-type: none"> Mark Existing Location Prop to secure Existing Location - Single Prop Structure, Existing Location - H Duct Route Cross Section Route 	<p>Voltagers (V)</p> <ul style="list-style-type: none"> Up to 1,000V 1,000V to 11,000V 11,000V to 22,000V 22,000V to 132,000V EHV (Extra High Voltage) Transmission <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1"> <tr> <td>Services</td> <td>1V</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td>0.6m</td> <td>1.1m</td> </tr> </table>	Services	1V	EHV	Footpath/Unmade	0.45m	0.6m	Road Crossing	0.6m	0.75m	Agricultural	0.6m	0.9m		0.6m	1.1m	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inverlorn Road, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516 Subject to revision – Master held by SSE in Asset Data Team: 01256 337 294</p>
Services	1V	EHV																		
Footpath/Unmade	0.45m	0.6m																		
Road Crossing	0.6m	0.75m																		
Agricultural	0.6m	0.9m																		
	0.6m	1.1m																		
<p>Date Requested: 11/06/2021 Job Reference: 22378388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>Scale: 1:500 (When plotted at A3)</p> <p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the ACT provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																			



Warning: PDF designed for A3 colour print only with no page scaling

0 **50m**

Dig Sites Area: Line:

11

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Extra High Voltage cables in vicinity

Legend

Service Cable	Min. Existing Location
1V Mains	Pole Structure, Existing Location - Single
2-23kV	Pole Structure, Existing Location - H
33kV	Dark Route
275kV	Cross Section Route

Min. Existing Location

Service Cable	Min. Existing Location
1V Mains	0.8m
2-23kV	0.6m
33kV	0.75m
100kV	0.6m
150kV	0.6m
275kV	0.9m
400kV	1.1m
765kV	1.1m

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD

Service	IV	EV
Up to 1,000V	0.6m	0.8m
1,100V to 1,500V	0.6m	0.9m
22,000V to 33,000V	0.6m	0.75m
33,000V to 400,000V	0.6m	0.9m
400,000V to 765,000V	0.6m	1.1m

Footpath/Unmade Road Crossing

0.6m	0.6m
0.6m	0.6m
0.6m	0.6m
0.6m	0.6m
0.6m	0.6m

Agricultural

0.6m	0.6m
0.6m	0.6m
0.6m	0.6m
0.6m	0.6m
0.6m	0.6m

Scottish & Southern Electricity Networks

Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
 General Enquiries: 0800 048 3516
 Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
 01256 337 294

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland Beach Road

Scale: 1:500 (When plotted at A3)

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Warning: PDF designed for A3 colour print only with no page scaling

0 50 m

Dig Sites Area: Line: ---

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

LV (Low Voltage) and Services	Up to 1,000V	0.6m	0.6m	0.8m
Medium Voltage (MV)	1,000V to 10,000V	0.6m	0.75m	0.9m
High Voltage (HV) (Extra High Voltage)	22,000V to 525,000V	0.6m	0.75m	0.9m
Transmission	275,000V and 400,000V	0.6m	0.75m	0.9m

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD

Services	LV	0.6m	0.6m	0.8m
Footpath/Unmade	IV	0.6m	0.75m	0.9m
Road Crossing	IV	0.6m	0.75m	0.9m
Agricultural	IV	0.6m	0.75m	0.9m

Legend

Service Cable	1V Work	2-10kV	11kV	22kV	33kV	66kV	110kV	275kV	400kV	High Voltage	Power Cable
Water	Gas	Oil	Water	Water	Water	Water	Water	Water	Water	Water	Water


Structures (Standard)

- Point Existing Location
- Point to locate Existing Location - Single
- Point Structure Existing Location - H
- Duct Route
- Cross Section Route

Extra High Voltage cables in vicinity



Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inveralmond House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 048 3516
 Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
 01256 337 294



13

Warning: PDF designed for A3 colour print only with no page scaling

0 50m

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

Scale: 1:500 (When plotted at A3)

Dig Sites Area: Line:

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Volages (V)		NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD	
LV (Low Voltage) and Services	Up to 1,000V	Services LV	0.6m
Medium Voltage	1,100V to 17,500V	Services IV	0.6m
EW (Extra High Voltage)	22,000V to 132,000V	Services EV	0.8m
Transmission	275,000V and 400,000V	Services HV	0.9m
		Services EHV	1.1m
		Services EHV	1.1m

Footpath/Unmade Road Crossing
 Agricultural

Legend	
Service Cable	11kV
11kV	11kV
2-20kV	20kV
33kV	33kV
66kV	66kV
110kV	110kV
132kV	132kV
275kV	275kV
400kV	400kV
EW (Extra High Voltage)	EW (Extra High Voltage)
Transmission	Transmission
High Voltage	High Voltage
Power Cable	Power Cable

Extra High Voltage cables in vicinity


N
W
E
S

Scottish & Southern Electricity Networks

Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 048 3516

If you're unsure & need to seek advice before commencing excavations please contact:
asset@scsn.co.uk
 01256 337 294


Subject to revision – Master held by SSE in Asset Data Team:



15

Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50 m</p> <p>Dig Sites Area: Line: </p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cables</p> <ul style="list-style-type: none"> 1V Mains 2 - 23kV 33kV 275kV 33kV 66kV 110kV 275kV 400kV Power Cables <p>Overhead Structures (Noted)</p> <ul style="list-style-type: none"> Peak Existing Location Peak to be excavated location - Single Peak Structure Existing Location - H Dark tower Cross Section Route 	<p>Voltagers (V)</p> <p>Up to 1,000V 1,000V to 11,000V 11,000V to 22,000V 22,000V to 33,000V 33,000V to 66,000V 66,000V to 110,000V 110,000V to 275,000V 275,000V and 400,000V Transmission</p> <p>NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1"> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>IV</td> <td>0.6m</td> <td>61V</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>IV</td> <td>0.6m</td> <td>IV</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>0.6m</td> <td>IV</td> <td>0.6m</td> <td>IV</td> <td>0.9m</td> </tr> <tr> <td></td> <td>0.6m</td> <td>IV</td> <td>0.6m</td> <td>IV</td> <td>1.1m</td> </tr> </table>	Footpath/Unmade	0.45m	IV	0.6m	61V	0.8m	Road Crossing	0.6m	IV	0.6m	IV	0.9m	Agricultural	0.6m	IV	0.6m	IV	0.9m		0.6m	IV	0.6m	IV	1.1m	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inverchonnard House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516 Subject to revision – Master held by SSE in Asset Data Team: assetdata@scsn.co.uk 01256 337 294</p>
Footpath/Unmade	0.45m	IV	0.6m	61V	0.8m																							
Road Crossing	0.6m	IV	0.6m	IV	0.9m																							
Agricultural	0.6m	IV	0.6m	IV	0.9m																							
	0.6m	IV	0.6m	IV	1.1m																							
<p>Date Requested: 11/06/2021 Job Reference: 22378388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>Scale: 1:500 (When plotted at A3)</p>	<p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																										



Warning: PDF designed for A3 colour print only with no page scaling

0 50m

Dig Sites Area: --- Line: - - - -




Extra High Voltage cables in vicinity

Legend

- Service Cables
- 1V Mains
- 2-23kV
- 33kV
- 275kV
- 33kV
- 100kV
- 132kV
- 275kV
- 400kV
- 1100kV
- Prop Cable

Overhead Structures (Hazard)

- Peak Existing Location
- Peak to occur, Existing Location - Single
- Peak Structure, Existing Location - H
- Dark Route
- Cross Section Route

Voltages (V)		NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD	
LV (Low Voltage) and Services	Up to 1,000V	Services	0.6m
EV (Extra High Voltage)	110kV to 1,100kV	IV	0.6m
Transmission	22,000V to 400,000V	IV	0.6m
	275,000V and 400,000V	EV	0.8m
		EV	0.9m
		EV	0.75m
		EV	1.1m
		EV	1.1m

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Date Requested: 11/06/2021
 Job Reference: 22378388
 Site Location: 367176 075049
 Requested by: Mr Rory Casey
 Your Scheme/Reference: Portland Beach Road

Scale: 1:500 (When plotted at A3)

Warning: PDF designed for A3 colour print only with no page scaling

0 50 m

Dig Sites Area: Line: ---

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HSE (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
Medium Voltage	1,100V to 17,500V
HV (Extra High Voltage)	22,000V to 400,000V
Transmission	275,000V and 400,000V

NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN Laid	
Footpath/Jurisdic	0.45m
Road Crossing	0.6m
Agricultural	0.6m
Services	0.6m
IV	0.6m
EV	0.6m
BIV	0.8m
275kV	0.9m
400kV	1.1m

Legend	
Service Cable	
1V Mains	
2-23kV	
33kV	
275kV	
33kV	
100kV	
175kV	
400kV	
High Voltage	
Power Cable	

Miscellaneous Structures (Marked)	
Point Existing Location	
Point to secure Existing Location - Single	
Point Structure Existing Location - H	
Duct Route	
Cross Section Route	

Extra High Voltage cables in vicinity



Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
 General Enquiries: 0800 048 3516
 Subject to revision - Master held by SSE in Asset Data Team:
01256.337.294

Scale: 1:500 (When plotted at A3)

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50m</p> <p>Dig Sites Area: Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>																									
<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>Legend</p> <p>Service Cables 1V Mains 2-23kV 33kV 275kV 33kV 66kV 132kV 275kV 400kV Fibre Optic Post Cable</p> <p>Overhead Structures (Noted)</p> <p>Pole, Existing Location Pole to secure, Existing Location - Single Pole Structure, Existing Location - H Duct Route Cross Section Route</p> <p>Volages (V)</p> <p>LV (Low Voltage) and Services Up to 1,000V LV Mains 2-23,000V HV (Extra High Voltage) Transmission 275,000V and 400,000V</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD</p> <table border="1"> <tr> <td>Services</td> <td>0.45m</td> <td>IV</td> <td>0.6m</td> <td>61V</td> </tr> <tr> <td>Footpath/Junction</td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>0.5m</td> <td>IV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td></td> <td>IV</td> <td>0.6m</td> <td>1.1m</td> </tr> </table>	Services	0.45m	IV	0.6m	61V	Footpath/Junction	0.5m	IV	0.6m	0.8m	Road Crossing	0.5m	IV	0.6m	0.75m	Agricultural	0.5m	IV	0.6m	0.9m			IV	0.6m	1.1m
Services	0.45m	IV	0.6m	61V																						
Footpath/Junction	0.5m	IV	0.6m	0.8m																						
Road Crossing	0.5m	IV	0.6m	0.75m																						
Agricultural	0.5m	IV	0.6m	0.9m																						
		IV	0.6m	1.1m																						
<p>Scale: 1:500 (When plotted at A3)</p>	<p>Based upon the Ordnance Survey map with the sanction of H.M. Stationery Office Crown Copyright Reserved. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																									
<p>Scottish & Southern Electricity Networks</p>	<p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inverchonnard House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459 General Enquiries: 0800 048 3516 If you're unsure & need to seek advice before commencing excavations please contact: Subject to revision – Master held by SSE in Asset Data Team: 01256 337 294</p>																									

20

Warning: PDF designed for A3 colour print only with no page scaling

0 50m

Dig Sites Area: Line: ---

Extra High Voltage cables in vicinity

Date Requested: 11/06/2021
Job Reference: 22379388
Site Location: 367176 075049
Requested by:
Mr Rory Casey
Your Scheme/Reference: Portland
Beach Road

WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

LV (Low Voltage) and Services	Up to 1,000V	0.6m	0.8m
Medium Voltage (MV)	1,100V to 17.5kV	0.6m	0.9m
EHV (Extra High Voltage)	22,000V to 525,000V	0.6m	0.9m
Transmission	275,000V and 400,000V	0.6m	0.9m

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD

Services	LV	EHV
Footpath/Unmade	0.45m	0.6m
Road Crossing	0.6m	0.75m
Agricultural	0.6m	0.9m
	0.6m	1.1m

Legend

Service Cables


- 1V Mains
- 2-23kV
- 33kV
- 275kV
- 33kV
- 100kV
- 175kV
- 400kV
- 525kV
- EHV (Extra High Voltage)
- Transmission

Interlocked Structures (Shielded)

- Peak Existing Location
- Peak To be excavated Existing Location - Single
- Peak Structure Existing Location - H
- Dark Route
- Cross Section Route




Scottish and Southern Energy Power Distribution Ltd.
Registered Office: Inverchonnard House,
200 Dunkeld Road, Perth, PH1 3AQ
Registered in Scotland No. SC213459
General Enquiries: 0800 048 3516
Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
01256 337 294



Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50m</p> <p>Dig Sites Area: --- Line: - - - -</p>	<p>Extra High Voltage cables in vicinity</p>	<p>Legend</p> <p>Service Cables</p> <ul style="list-style-type: none"> 1V Mains 2-23kV 33kV 275kV 33kV 66kV 110kV 275kV 400kV Power Cables <p>Structures (Not to Scale)</p> <ul style="list-style-type: none"> Point Existing Location Point to secure Existing Location - Single Point Structure Existing Location - H Duct Route Cross Section Route 	<p>Voltagers (V)</p> <p>LV (Low Voltage) and Services Up to 1,000V LV (Extra High Voltage) 22,000V to 132,000V Transmission 275,000V and 400,000V</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD</p> <table border="1"> <tr> <td>Footpath/Unmade</td> <td>0.50m</td> <td>IV</td> <td>0.6m</td> <td>61V</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.50m</td> <td>IV</td> <td>0.6m</td> <td>61V</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>0.5m</td> <td>IV</td> <td>0.75m</td> <td>61V</td> <td>1.1m</td> </tr> </table>	Footpath/Unmade	0.50m	IV	0.6m	61V	0.8m	Road Crossing	0.50m	IV	0.6m	61V	0.9m	Agricultural	0.5m	IV	0.75m	61V	1.1m	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>Scale: 1:500 (When plotted at A3)</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'), unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>
Footpath/Unmade	0.50m	IV	0.6m	61V	0.8m																			
Road Crossing	0.50m	IV	0.6m	61V	0.9m																			
Agricultural	0.5m	IV	0.75m	61V	1.1m																			
		<p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inverchonnard House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p>	<p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516</p>	<p>Subject to revision – Master held by SSE in Asset Data Team: assetdata@scsn.co.uk 01256 337 294</p>																				



Warning: PDF designed for A3 colour print only with no page scaling

0 **50m**

Dig Sites Area: Line:

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by: Mr Rory Casey
 Your Scheme/Reference: Portland Beach Road

Scale: 1:500 (When plotted at A3)

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Legend

	Service Cable
	1V Mains
	2-23kV
	33kV
	22kV
	33kV
	66kV
	110kV
	275kV
	400kV
	High Voltage
	Prop Cable

Volages (V)

Up to 1,000V	0.6m	0.6m	0.8m
1,000V to 11,000V	0.6m	0.6m	0.9m
11,000V to 22,000V	0.6m	0.6m	0.9m
22,000V to 33,000V	0.6m	0.6m	0.9m
33,000V to 66,000V	0.6m	0.6m	0.9m
66,000V to 110,000V	0.6m	0.6m	0.9m
110,000V to 220,000V	0.6m	0.6m	0.9m
220,000V to 330,000V	0.6m	0.6m	0.9m
330,000V to 400,000V	0.6m	0.6m	0.9m

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid

Services	1V	0.6m	0.6m
Footpath/Unmade	0.6m	0.6m	0.75m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	0.6m	0.6m	1.1m

Interactions (Standard)

	Peak Existing Location
	Peak To Excavate Existing Location - Single
	Peak Structure Existing Location - H
	Duct Route
	Cross Section Route

Scottish & Southern Electricity Networks

Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverlorn Road House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavation please contact:
 General Enquiries: 0800 048 3516
 Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
 01256 337 294

Warning: PDF designed for A3 colour print only with no page scaling



Dig Sites Area: Line:

Date Requested: 11/06/2021
 Job Reference: 22378388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland Beach Road

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Voltages (V)		Normal Depth to the Top of the Cable When Laid	
LV (Low Voltage) and Services	Up to 1,000V	Footpath/Unmade	0.45m
Medium Voltage	1,100V to 17.5kV	Road Crossing	0.6m
HV (Extra High Voltage)	22,000V to 400,000V	Agricultural	0.75m
Transmission	275,000V and 400,000V	Services	0.6m
		IV	0.6m
		EV	0.8m
		275kV	0.9m
		400kV	1.1m



Extra High Voltage cables in vicinity



Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inveralmond House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 048 3516
 Subject to revision – Master held by SSE in Asset Data Team:
01256.337.294



Warning: PDF designed for A3 colour print only with no page scaling

Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road	50m Dig Sites Area: Line:	<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; font-weight: bold; color: red; margin: 0;">WARNING</p> <p style="font-size: 0.8em; margin: 0;">There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p style="font-size: 0.8em; margin: 0;">WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p> </div>	<div style="border: 1px solid black; padding: 5px;"> <table style="font-size: 0.7em; width: 100%;"> <tr> <td style="width: 50%;"> Legend Service Cables 1V Mains 2-23kV 33kV 275kV 33kV 66kV 110kV 275kV 400kV Fibre Optic Ficti Cable </td> <td style="width: 50%;"> Distances (Metres) Peak Existing Location Peak to new, Existing Location - Single Peak to new, Existing Location - M Dist. Route Cross Section Route </td> </tr> </table> </div>	Legend Service Cables 1V Mains 2-23kV 33kV 275kV 33kV 66kV 110kV 275kV 400kV Fibre Optic Ficti Cable	Distances (Metres) Peak Existing Location Peak to new, Existing Location - Single Peak to new, Existing Location - M Dist. Route Cross Section Route															
Legend Service Cables 1V Mains 2-23kV 33kV 275kV 33kV 66kV 110kV 275kV 400kV Fibre Optic Ficti Cable	Distances (Metres) Peak Existing Location Peak to new, Existing Location - Single Peak to new, Existing Location - M Dist. Route Cross Section Route																			
<table style="font-size: 0.7em; width: 100%;"> <tr> <td style="width: 50%;"> Voltagers (V) LV (Low Voltage) and Services Up to 1,000V HV (Extra High Voltage) 22,000V to 132,000V Transmission 275,000V and 400,000V </td> <td style="width: 50%;"> NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid <table style="font-size: 0.6em; width: 100%;"> <tr> <td>Services</td> <td>LV</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Footpath/Unmade</td> <td>LV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>Road Crossing</td> <td>LV</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>LV</td> <td>0.6m</td> <td>1.1m</td> </tr> </table> </td> </tr> </table>		Voltagers (V) LV (Low Voltage) and Services Up to 1,000V HV (Extra High Voltage) 22,000V to 132,000V Transmission 275,000V and 400,000V	NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid <table style="font-size: 0.6em; width: 100%;"> <tr> <td>Services</td> <td>LV</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Footpath/Unmade</td> <td>LV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>Road Crossing</td> <td>LV</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>LV</td> <td>0.6m</td> <td>1.1m</td> </tr> </table>	Services	LV	0.6m	0.8m	Footpath/Unmade	LV	0.6m	0.9m	Road Crossing	LV	0.6m	0.75m	Agricultural	LV	0.6m	1.1m	<div style="border: 1px solid black; padding: 5px;"> </div>
Voltagers (V) LV (Low Voltage) and Services Up to 1,000V HV (Extra High Voltage) 22,000V to 132,000V Transmission 275,000V and 400,000V	NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid <table style="font-size: 0.6em; width: 100%;"> <tr> <td>Services</td> <td>LV</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Footpath/Unmade</td> <td>LV</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>Road Crossing</td> <td>LV</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>LV</td> <td>0.6m</td> <td>1.1m</td> </tr> </table>	Services	LV	0.6m	0.8m	Footpath/Unmade	LV	0.6m	0.9m	Road Crossing	LV	0.6m	0.75m	Agricultural	LV	0.6m	1.1m			
Services	LV	0.6m	0.8m																	
Footpath/Unmade	LV	0.6m	0.9m																	
Road Crossing	LV	0.6m	0.75m																	
Agricultural	LV	0.6m	1.1m																	
<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; font-weight: bold; color: red; margin: 0;">Extra High Voltage cables in vicinity</p> </div>		<div style="border: 1px solid black; padding: 5px;"> <p style="font-size: 0.6em; margin: 0;">Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459 General Enquiries: 0800 048 3516 Subject to revision – Master held by SSE in Asset Data Team: assetdata@scsn.co.uk 01256 337 294</p> </div>																		
Scale: 1:500 (When plotted at A3)		BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the ACT provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.																		

28

Shingle

Mean Low Water

West Bay

Warning: PDF designed for A3 colour print only with no page scaling

0 50m

Dig Sites Area: Line: ---

Date Requested: 11/06/2021
Job Reference: 22379388
Site Location: 367176 075049
Requested by: Mr Rory Casey
Your Scheme/Reference: Portland Beach Road

WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Table with 2 columns: Voltage (V) and Services. Includes rows for LV (Low Voltage) and HV (Extra High Voltage) with corresponding depth values.


Legend for Service Cables (1V to 110kV), Manholes, and Structures. Includes a table for 'NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid' for various voltages.

Extra High Voltage cables in vicinity



Scottish and Southern Energy Power Distribution Ltd.
Registered Office: Inverchonnard House, 200 Dunkeld Road, Perth, PH1 3AQ
Registered in Scotland No. SC213459
General Enquiries: 0800 048 3516


Scale: 1:500 (When plotted at A3)
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



29

Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cables</p> <ul style="list-style-type: none"> 1V Mains 2-23kV 33kV 275kV 33kV 66kV 110kV 275kV 400kV Power Cables 	<p>Metastable Structures (Marked)</p> <ul style="list-style-type: none"> Peak Existing Location Peak to secure Existing Location - Single Peak Structure Existing Location - H Dart route Cross Section Route 	<p>Voltagers (V)</p> <p>Up to 1,000V 1,000V to 11,000V 11,000V to 22,000V 22,000V to 400,000V Transmission</p> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD</p> <table border="1"> <tr> <td>Services</td> <td>IV</td> <td>EV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td></td> <td>0.6m</td> <td>1.1m</td> </tr> </table>	Services	IV	EV	Footpath/Unmade	0.45m	0.6m	Road Crossing	0.6m	0.75m	Agricultural	0.6m	0.9m		0.6m	1.1m	<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inveralmond House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516 Subject to revision – Master held by SSE in Asset Data Team: assetdata@scsn.co.uk 01256 337 294</p>
Services	IV	EV																		
Footpath/Unmade	0.45m	0.6m																		
Road Crossing	0.6m	0.75m																		
Agricultural	0.6m	0.9m																		
	0.6m	1.1m																		
<p>Date Requested: 11/06/2021 Job Reference: 22378388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>Scale: 1:500 (When plotted at A3)</p>	<p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																		



Warning: PDF designed for A3 colour print only with no page scaling

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

0 50m

Dig Sites Area: Line:

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A3)

Voltagers (V)
 LV (Low Voltage) and Services
 Up to 1,000V
 LV (Extra High Voltage)
 22,000V to 132,000V
 Transmission
 275,000V and 400,000V

NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN Laid

Footpath/Unmade Road Crossing	0.45m	IV	0.6m	EV	0.8m
Agricultural	0.5m	IV	0.6m	EV	0.9m
	0.75m	IV	0.75m	EV	1.1m

Legend

Service Cables

- 1V (White)
- 2-33kV (Yellow)
- 33kV (Green)
- 275kV (Blue)
- 33kV (Orange)
- 10kV (Red)
- 10kV (Purple)
- 10kV (Brown)
- 10kV (Grey)
- 10kV (Black)
- 10kV (Light Blue)
- 10kV (Light Green)
- 10kV (Light Orange)
- 10kV (Light Purple)
- 10kV (Light Brown)
- 10kV (Light Grey)
- 10kV (Light Black)
- 10kV (Light Light Blue)
- 10kV (Light Light Green)
- 10kV (Light Light Orange)
- 10kV (Light Light Purple)
- 10kV (Light Light Brown)
- 10kV (Light Light Grey)
- 10kV (Light Light Black)
- 10kV (Light Light Light Blue)
- 10kV (Light Light Light Green)
- 10kV (Light Light Light Orange)
- 10kV (Light Light Light Purple)
- 10kV (Light Light Light Brown)
- 10kV (Light Light Light Grey)
- 10kV (Light Light Light Black)
- 10kV (Light Light Light Light Blue)
- 10kV (Light Light Light Light Green)
- 10kV (Light Light Light Light Orange)
- 10kV (Light Light Light Light Purple)
- 10kV (Light Light Light Light Brown)
- 10kV (Light Light Light Light Grey)
- 10kV (Light Light Light Light Black)

Interconnect Structures (Marked)

- Point Existing Location
- Point to secure Existing Location - Single
- Point Structure Existing Location - H
- Duct Route
- Cross Section Route

Scottish & Southern Electricity Networks


Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverlorn Road,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
 General Enquiries: 0800 048 3516
 Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
 01256 337 294

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the ACT provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Warning: PDF designed for A3 colour print only with no page scaling

<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>50 m</p> <p>Dig Sites Area: Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cables</p> <ul style="list-style-type: none"> 1V Mains 2 - 23kV 33kV 275kV 33kV 110kV 175kV 400kV Power Cables <p>Interrelated Structures (Marked)</p> <ul style="list-style-type: none"> Point Existing Location Point to secure Existing Location - Single Point Structure Existing Location - H Duct Route Cross Section Route 	<p>Voltagers (V)</p> <table border="1"> <tr> <td>Up to 1,000V</td> <td>0.6m</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>1,000V to 11,000V</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>11,000V to 22,000V</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>22,000V to 132,000V</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>132,000V to 275,000V</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>275,000V and 400,000V</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> </table> <p>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid</p> <table border="1"> <tr> <td>IV</td> <td>0.6m</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>1V</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>IV</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>1V</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>IV</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>1V</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>IV</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>1V</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>IV</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>1V</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>IV</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>1V</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>IV</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>1V</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> </table>	Up to 1,000V	0.6m	0.6m	0.8m	1,000V to 11,000V	0.6m	0.6m	0.9m	11,000V to 22,000V	0.6m	0.6m	0.9m	22,000V to 132,000V	0.6m	0.6m	0.9m	132,000V to 275,000V	0.6m	0.6m	0.9m	275,000V and 400,000V	0.6m	0.6m	0.9m	IV	0.6m	0.6m	0.8m	1V	0.6m	0.6m	0.9m	IV	0.6m	0.6m	0.9m	1V	0.6m	0.6m	0.9m	IV	0.6m	0.6m	0.9m	1V	0.6m	0.6m	0.9m	IV	0.6m	0.6m	0.9m	1V	0.6m	0.6m	0.9m	IV	0.6m	0.6m	0.9m	1V	0.6m	0.6m	0.9m	IV	0.6m	0.6m	0.9m	1V	0.6m	0.6m	0.9m	IV	0.6m	0.6m	0.9m	1V	0.6m	0.6m	0.9m	<p style="text-align: center;">Extra High Voltage cables in vicinity</p>	<p style="text-align: center;">Scottish & Southern Electricity Networks</p>	<p style="text-align: center;">Scottish and Southern Energy Power Distribution Ltd.</p> <p>Registered Office: Inverchonnard House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516 Subject to revision – Master held by SSE in Asset Data Team: asset.data@scsn.co.uk 01256 337 294</p>
Up to 1,000V	0.6m	0.6m	0.8m																																																																																				
1,000V to 11,000V	0.6m	0.6m	0.9m																																																																																				
11,000V to 22,000V	0.6m	0.6m	0.9m																																																																																				
22,000V to 132,000V	0.6m	0.6m	0.9m																																																																																				
132,000V to 275,000V	0.6m	0.6m	0.9m																																																																																				
275,000V and 400,000V	0.6m	0.6m	0.9m																																																																																				
IV	0.6m	0.6m	0.8m																																																																																				
1V	0.6m	0.6m	0.9m																																																																																				
IV	0.6m	0.6m	0.9m																																																																																				
1V	0.6m	0.6m	0.9m																																																																																				
IV	0.6m	0.6m	0.9m																																																																																				
1V	0.6m	0.6m	0.9m																																																																																				
IV	0.6m	0.6m	0.9m																																																																																				
1V	0.6m	0.6m	0.9m																																																																																				
IV	0.6m	0.6m	0.9m																																																																																				
1V	0.6m	0.6m	0.9m																																																																																				
IV	0.6m	0.6m	0.9m																																																																																				
1V	0.6m	0.6m	0.9m																																																																																				
IV	0.6m	0.6m	0.9m																																																																																				
1V	0.6m	0.6m	0.9m																																																																																				
<p>Scale: 1:500 (When plotted at A3)</p>				<p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																																																																			



Warning: PDF designed for A3 colour print only with no page scaling

0 **50 m**

Dig Sites: Area: Line:

Extra High Voltage cables in vicinity

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Legend

Service Cable	11kV	15kV	20kV	27.5kV	33kV	66kV	110kV	132kV	275kV	400kV	500kV
11kV	15kV	20kV	27.5kV	33kV	66kV	110kV	132kV	275kV	400kV	500kV	500kV

Overhead Structures (Detailed)

- Peak Existing Location
- Peak Structure Existing Location - Single
- Peak Structure Existing Location - H
- Dark Route
- Cross Section Route

Voltagers (V)

Up to 1,000V	1,000V	11kV	15kV	20kV	27.5kV	33kV	66kV	110kV	132kV	275kV	400kV	500kV
Up to 1,000V	1,000V	11kV	15kV	20kV	27.5kV	33kV	66kV	110kV	132kV	275kV	400kV	500kV

NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN LAD

Services	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m
Footpath/Unmade	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m
Road Crossing	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m
Agricultural	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m	0.6m

Legend

Service Cable	11kV	15kV	20kV	27.5kV	33kV	66kV	110kV	132kV	275kV	400kV	500kV
11kV	15kV	20kV	27.5kV	33kV	66kV	110kV	132kV	275kV	400kV	500kV	500kV

Overhead Structures (Detailed)

- Peak Existing Location
- Peak Structure Existing Location - Single
- Peak Structure Existing Location - H
- Dark Route
- Cross Section Route

Legend

Service Cable	11kV	15kV	20kV	27.5kV	33kV	66kV	110kV	132kV	275kV	400kV	500kV
11kV	15kV	20kV	27.5kV	33kV	66kV	110kV	132kV	275kV	400kV	500kV	500kV

Overhead Structures (Detailed)

- Peak Existing Location
- Peak Structure Existing Location - Single
- Peak Structure Existing Location - H
- Dark Route
- Cross Section Route


Scottish & Southern Electricity Networks

Registered Office: Inverchonnard House, 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459
 General Enquiries: 0800 048 3516
 Subject to revision – Master held by SSE M Asset Data Team:
assetdata@scsn.co.uk
 01256 337 294

Date Requested: 11/06/2021
Job Reference: 22378388
Site Location: 367176 075049
Requested by: Mr Rory Casey
Your Scheme/Reference: Portland Beach Road

Scale: 1:500 (When plotted at A3)

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the ACT provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



Warning: PDF designed for A3 colour print only with no page scaling

0 **50 m**

Dig Sites Area: Line:

38

Extra High Voltage cables in vicinity

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland Beach Road

Legend

	Service Cable
	1V Mains
	2-23kV
	33kV
	66kV
	110kV
	175kV
	275kV
	400kV
	High Voltage
	Proposed Cable

Utilities Structures (Marked)

	Mark Existing Location
	Proposed Structure, Existing Location
	Duct Route
	Cross Section Route

Voltagers (V)

Up to 1,000V	0.6m	0.6m	0.8m
1,000V to 17,500V	0.6m	0.6m	0.9m
17,500V to 33,000V	0.6m	0.6m	0.9m
33,000V to 132,000V	0.6m	0.6m	0.9m
132,000V to 400,000V	0.6m	0.6m	0.9m
400,000V	0.6m	0.6m	0.9m

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid

Services	1V	0.6m	0.6m
Footpath/Unmade	0.6m	0.6m	0.75m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	0.6m	0.6m	1.1m

Legend


	Mark Existing Location
	Proposed Structure, Existing Location
	Duct Route
	Cross Section Route

Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inveralmond House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
 General Enquiries: 0800 048 3516
 Subject to revision – Master held by SSE M Asset Data Team:
assetdata@scsn.co.uk
 01256 337 294

Scale: 1:500 (When plotted at A3)

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



39

Warning: PDF designed for A3 colour print only with no page scaling



Dig Sites Area: Line: ---

Date Requested: 11/06/2021
 Job Reference: 22379388
 Site Location: 367176 075049
 Requested by:
 Mr Rory Casey
 Your Scheme/Reference: Portland
 Beach Road

WARNING
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

LV (Low Voltage) and Services	Up to 1,000V	0.6m	0.8m
Medium Voltage (MV)	1,000V to 10,000V	0.6m	0.9m
High Voltage (HV) (Extra High Voltage)	22,000V to 525,000V	0.6m	0.9m
Transmission	275,000V and 400,000V	0.6m	1.1m

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAY

Services	LV	0.6m	0.8m
Footpath/Unmade	0.6m	0.6m	0.75m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	0.6m	0.6m	1.1m

Legend

Service Cable	1V Work	2-23kV	33kV	275kV	400kV	1000kV	110kV	275kV	400kV	1000kV
Water	Gas	Oil	Concrete	Steel	Aluminum	Iron	Steel	Aluminum	Iron	Steel

Water/Gas Structures (Marked)

- Peak Existing Location
- Peak to occur, Existing Location - Single
- Peak Structure, Existing Location - H
- Peak Structure, Existing Location - H
- Dark route
- Cross Section Route

Scottish & Southern Electricity Networks

Scottish and Southern Energy Power Distribution Ltd.
 Registered Office: Inverchonnard House,
 200 Dunkeld Road, Perth, PH1 3AQ
 Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
 General Enquiries: 0800 048 3516
 Subject to revision – Master held by SSE in Asset Data Team:
01256.337.294

Scale: 1:500 (When plotted at A3)

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

40

Warning: PDF designed for A3 colour print only with no page scaling

0 50m

Dig Sites Area: Line: ---

Extra High Voltage cables in vicinity

Date Requested: 11/06/2021
Job Reference: 22379388
Site Location: 367176 075049
Requested by:
Mr Rory Casey
Your Scheme/Reference: Portland
Beach Road

WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

LV (Low Voltage) and Services	Up to 1,000V	0.6m	0.8m
Medium Voltage (MV)	1,100V to 10,000V	0.6m	0.9m
High Voltage (HV) (Extra High Voltage)	22,000V to 132,000V	0.6m	0.9m
Transmission	275,000V and 400,000V	0.6m	0.9m

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid

Services	LV	0.6m	0.8m
Footpath/Unmade	LV	0.6m	0.75m
Road Crossing	LV	0.6m	0.75m
Agricultural	LV	0.6m	0.75m
	EHV	0.6m	1.1m

Legend

Service Cables

- 1V Mains
- 2-23kV
- 33kV
- 132kV
- 275kV
- 400kV
- 132kV
- 275kV
- 400kV
- EHV (Extra High Voltage)
- Transmission

Structures (Standard)

- Peak Existing Location
- Peak To be excavated Existing Location - Single
- Peak To be excavated Existing Location - H
- Peak To be excavated Existing Location - M
- Peak To be excavated Existing Location - L
- Dark Route
- Crash Section Route

Other Symbols

- 110kV
- 132kV
- 175kV
- 275kV
- 400kV
- EHV (Extra High Voltage)
- Transmission



Scottish and Southern Energy Power Distribution Ltd.
Registered Office: Inverchonnard House,
200 Dunkeld Road, Perth, PH1 3AQ
Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
General Enquiries: 0800 048 3516
Subject to revision – Master held by SSE in Asset Data Team:
assetdata@scsn.co.uk
01256 337 294

Scale: 1:500 (When plotted at A3)

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the ACT provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

41

Warning: PDF designed for A3 colour print only with no page scaling

0 50 m

Dig Sites Area: Line: ---


Extra High Voltage cables in vicinity

Date Requested: 11/06/2021
Job Reference: 22379388
Site Location: 367176 075049
Requested by:
Mr Rory Casey
Your Scheme/Reference: Portland
Beach Road

WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Voltagers (V)

Up to 1,000V	0.6m	0.6m	0.8m
1,000V to 17.5kV	0.6m	0.6m	0.9m
17.5kV to 132,000V	0.6m	0.75m	0.9m
132,000V to 400,000V	0.6m	0.75m	0.9m
400,000V to 800,000V	0.6m	0.75m	0.9m
800,000V to 1,100,000V	0.6m	0.75m	0.9m
1,100,000V to 1,320,000V	0.6m	0.75m	0.9m
1,320,000V to 1,750,000V	0.6m	0.75m	0.9m
1,750,000V to 2,200,000V	0.6m	0.75m	0.9m
2,200,000V to 3,300,000V	0.6m	0.75m	0.9m
3,300,000V to 4,000,000V	0.6m	0.75m	0.9m
4,000,000V to 5,000,000V	0.6m	0.75m	0.9m
5,000,000V to 6,600,000V	0.6m	0.75m	0.9m
6,600,000V to 8,000,000V	0.6m	0.75m	0.9m
8,000,000V to 11,000,000V	0.6m	0.75m	0.9m
11,000,000V to 13,200,000V	0.6m	0.75m	0.9m
13,200,000V to 17,500,000V	0.6m	0.75m	0.9m
17,500,000V to 22,000,000V	0.6m	0.75m	0.9m
22,000,000V to 33,000,000V	0.6m	0.75m	0.9m
33,000,000V to 40,000,000V	0.6m	0.75m	0.9m
40,000,000V to 50,000,000V	0.6m	0.75m	0.9m
50,000,000V to 66,000,000V	0.6m	0.75m	0.9m
66,000,000V to 80,000,000V	0.6m	0.75m	0.9m
80,000,000V to 110,000,000V	0.6m	0.75m	0.9m
110,000,000V to 132,000,000V	0.6m	0.75m	0.9m
132,000,000V to 175,000,000V	0.6m	0.75m	0.9m
175,000,000V to 220,000,000V	0.6m	0.75m	0.9m
220,000,000V to 330,000,000V	0.6m	0.75m	0.9m
330,000,000V to 400,000,000V	0.6m	0.75m	0.9m
400,000,000V to 500,000,000V	0.6m	0.75m	0.9m
500,000,000V to 660,000,000V	0.6m	0.75m	0.9m
660,000,000V to 800,000,000V	0.6m	0.75m	0.9m
800,000,000V to 1,100,000,000V	0.6m	0.75m	0.9m
1,100,000,000V to 1,320,000,000V	0.6m	0.75m	0.9m
1,320,000,000V to 1,750,000,000V	0.6m	0.75m	0.9m
1,750,000,000V to 2,200,000,000V	0.6m	0.75m	0.9m
2,200,000,000V to 3,300,000,000V	0.6m	0.75m	0.9m
3,300,000,000V to 4,000,000,000V	0.6m	0.75m	0.9m
4,000,000,000V to 5,000,000,000V	0.6m	0.75m	0.9m
5,000,000,000V to 6,600,000,000V	0.6m	0.75m	0.9m
6,600,000,000V to 8,000,000,000V	0.6m	0.75m	0.9m
8,000,000,000V to 11,000,000,000V	0.6m	0.75m	0.9m
11,000,000,000V to 13,200,000,000V	0.6m	0.75m	0.9m
13,200,000,000V to 17,500,000,000V	0.6m	0.75m	0.9m
17,500,000,000V to 22,000,000,000V	0.6m	0.75m	0.9m
22,000,000,000V to 33,000,000,000V	0.6m	0.75m	0.9m
33,000,000,000V to 40,000,000,000V	0.6m	0.75m	0.9m
40,000,000,000V to 50,000,000,000V	0.6m	0.75m	0.9m
50,000,000,000V to 66,000,000,000V	0.6m	0.75m	0.9m
66,000,000,000V to 80,000,000,000V	0.6m	0.75m	0.9m
80,000,000,000V to 110,000,000,000V	0.6m	0.75m	0.9m
110,000,000,000V to 132,000,000,000V	0.6m	0.75m	0.9m
132,000,000,000V to 175,000,000,000V	0.6m	0.75m	0.9m
175,000,000,000V to 220,000,000,000V	0.6m	0.75m	0.9m
220,000,000,000V to 330,000,000,000V	0.6m	0.75m	0.9m
330,000,000,000V to 400,000,000,000V	0.6m	0.75m	0.9m
400,000,000,000V to 500,000,000,000V	0.6m	0.75m	0.9m
500,000,000,000V to 660,000,000,000V	0.6m	0.75m	0.9m
660,000,000,000V to 800,000,000,000V	0.6m	0.75m	0.9m
800,000,000,000V to 1,100,000,000,000V	0.6m	0.75m	0.9m
1,100,000,000,000V to 1,320,000,000,000V	0.6m	0.75m	0.9m
1,320,000,000,000V to 1,750,000,000,000V	0.6m	0.75m	0.9m
1,750,000,000,000V to 2,200,000,000,000V	0.6m	0.75m	0.9m
2,200,000,000,000V to 3,300,000,000,000V	0.6m	0.75m	0.9m
3,300,000,000,000V to 4,000,000,000,000V	0.6m	0.75m	0.9m
4,000,000,000,000V to 5,000,000,000,000V	0.6m	0.75m	0.9m
5,000,000,000,000V to 6,600,000,000,000V	0.6m	0.75m	0.9m
6,600,000,000,000V to 8,000,000,000,000V	0.6m	0.75m	0.9m
8,000,000,000,000V to 11,000,000,000,000V	0.6m	0.75m	0.9m
11,000,000,000,000V to 13,200,000,000,000V	0.6m	0.75m	0.9m
13,200,000,000,000V to 17,500,000,000,000V	0.6m	0.75m	0.9m
17,500,000,000,000V to 22,000,000,000,000V	0.6m	0.75m	0.9m
22,000,000,000,000V to 33,000,000,000,000V	0.6m	0.75m	0.9m
33,000,000,000,000V to 40,000,000,000,000V	0.6m	0.75m	0.9m
40,000,000,000,000V to 50,000,000,000,000V	0.6m	0.75m	0.9m
50,000,000,000,000V to 66,000,000,000,000V	0.6m	0.75m	0.9m
66,000,000,000,000V to 80,000,000,000,000V	0.6m	0.75m	0.9m
80,000,000,000,000V to 110,000,000,000,000V	0.6m	0.75m	0.9m
110,000,000,000,000V to 132,000,000,000,000V	0.6m	0.75m	0.9m
132,000,000,000,000V to 175,000,000,000,000V	0.6m	0.75m	0.9m
175,000,000,000,000V to 220,000,000,000,000V	0.6m	0.75m	0.9m
220,000,000,000,000V to 330,000,000,000,000V	0.6m	0.75m	0.9m
330,000,000,000,000V to 400,000,000,000,000V	0.6m	0.75m	0.9m
400,000,000,000,000V to 500,000,000,000,000V	0.6m	0.75m	0.9m
500,000,000,000,000V to 660,000,000,000,000V	0.6m	0.75m	0.9m
660,000,000,000,000V to 800,000,000,000,000V	0.6m	0.75m	0.9m
800,000,000,000,000V to 1,100,000,000,000,000V	0.6m	0.75m	0.9m
1,100,000,000,000,000V to 1,320,000,000,000,000V	0.6m	0.75m	0.9m
1,320,000,000,000,000V to 1,750,000,000,000,000V	0.6m	0.75m	0.9m
1,750,000,000,000,000V to 2,200,000,000,000,000V	0.6m	0.75m	0.9m
2,200,000,000,000,000V to 3,300,000,000,000,000V	0.6m	0.75m	0.9m
3,300,000,000,000,000V to 4,000,000,000,000,000V	0.6m	0.75m	0.9m
4,000,000,000,000,000V to 5,000,000,000,000,000V	0.6m	0.75m	0.9m
5,000,000,000,000,000V to 6,600,000,000,000,000V	0.6m	0.75m	0.9m
6,600,000,000,000,000V to 8,000,000,000,000,000V	0.6m	0.75m	0.9m
8,000,000,000,000,000V to 11,000,000,000,000,000V	0.6m	0.75m	0.9m
11,000,000,000,000,000V to 13,200,000,000,000,000V	0.6m	0.75m	0.9m
13,200,000,000,000,000V to 17,500,000,000,000,000V	0.6m	0.75m	0.9m
17,500,000,000,000,000V to 22,000,000,000,000,000V	0.6m	0.75m	0.9m
22,000,000,000,000,000V to 33,000,000,000,000,000V	0.6m	0.75m	0.9m
33,000,000,000,000,000V to 40,000,000,000,000,000V	0.6m	0.75m	0.9m
40,000,000,000,000,000V to 50,000,000,000,000,000V	0.6m	0.75m	0.9m
50,000,000,000,000,000V to 66,000,000,000,000,000V	0.6m	0.75m	0.9m
66,000,000,000,000,000V to 80,000,000,000,000,000V	0.6m	0.75m	0.9m
80,000,000,000,000,000V to 110,000,000,000,000,000V	0.6m	0.75m	0.9m
110,000,000,000,000,000V to 132,000,000,000,000,000V	0.6m	0.75m	0.9m
132,000,000,000,000,000V to 175,000,000,000,000,000V	0.6m	0.75m	0.9m
175,000,000,000,000,000V to 220,000,000,000,000,000V	0.6m	0.75m	0.9m
220,000,000,000,000,000V to 330,000,000,000,000,000V	0.6m	0.75m	0.9m
330,000,000,000,000,000V to 400,000,000,000,000,000V	0.6m	0.75m	0.9m
400,000,000,000,000,000V to 500,000,000,000,000,000V	0.6m	0.75m	0.9m
500,000,000,000,000,000V to 660,000,000,000,000,000V	0.6m	0.75m	0.9m
660,000,000,000,000,000V to 800,000,000,000,000,000V	0.6m	0.75m	0.9m
800,000,000,000,000,000V to 1,100,000,000,000,000,000V	0.6m	0.75m	0.9m
1,100,000,000,000,000,000V to 1,320,000,000,000,000,000V	0.6m	0.75m	0.9m
1,320,000,000,000,000,000V to 1,750,000,000,000,000,000V	0.6m	0.75m	0.9m
1,750,000,000,000,000,000V to 2,200,000,000,000,000,000V	0.6m	0.75m	0.9m
2,200,000,000,000,000,000V to 3,300,000,000,000,000,000V	0.6m	0.75m	0.9m
3,300,000,000,000,000,000V to 4,000,000,000,000,000,000V	0.6m	0.75m	0.9m
4,000,000,000,000,000,000V to 5,000,000,000,000,000,000V	0.6m	0.75m	0.9m
5,000,000,000,000,000,000V to 6,600,000,000,000,000,000V	0.6m	0.75m	0.9m
6,600,000,000,000,000,000V to 8,000,000,000,000,000,000V	0.6m	0.75m	0.9m
8,000,000,000,000,000,000V to 11,000,000,000,000,000,000V	0.6m	0.75m	0.9m
11,000,000,000,000,000,000V to 13,200,000,000,000,000,000V	0.6m	0.75m	0.9m
13,200,000,000,000,000,000V to 17,500,000,000,000,000,000V	0.6m	0.75m	0.9m
17,500,000,000,000,000,000V to 22,000,000,000,000,000,000V	0.6m	0.75m	0.9m
22,000,000,000,000,000,000V to 33,000,000,000,000,000,000V	0.6m	0.75m	0.9m
33,000,000,000,000,000,000V to 40,000,000,000,000,000,000V	0.6m	0.75m	0.9m
40,000,000,000,000,000,000V to 50,000,000,000,000,000,000V	0.6m	0.75m	0.9m
50,000,000,000,000,000,000V to 66,000,000,000,000,000,000V	0.6m	0.75m	0.9m
66,000,000,000,000,000,000V to 80,000,000,000,000,000,000V	0.6m	0.75m	0.9m
80,000,000,000,000,000,000V to 110,000,000,000,000,000,000V	0.6m	0.75m	0.9m
110,000,000,000,000,000,000V to 132,000,000,000,000,000,000V	0.6m	0.75m	0.9m
132,000,000,000,000,000,000V to 175,000,000,000,000,000,000V	0.6m	0.75m	0.9m
175,000,000,000,000,000,000V to 220,000,000,000,000,000,000V	0.6m	0.75m	0.9m
220,000,000,000,000,000,000V to 330,000,000,000,000,000,000V	0.6m	0.75m	0.9m
330,000,000,000,000,000,000V to 400,000,000,000,000,000,000V	0.6m	0.75m	0.9m
400,000,000,000,000,000,000V to 500,000,000,000,000,000,000V	0.6m	0.75m	0.9m
500,000,000,000,000,000,000V to 660,000,000,000,000,000,000V	0.6m	0.75m	0.9m
660,000,000,000,000,000,000V to 800,000,000,000,000,000,000V	0.6m	0.75m	0.9m
800,000,000,000,000,000,000V to 1,100,000,000,000,000,000,000V	0.6m	0.75m	0.9m
1,100,000,000,000,000,000,000V to 1,320,000,000,000,000,000,000V	0.6m	0.75m	0.9m
1,320,000,000,000,000,000,000V to 1,750,000,000,000,000,000,000V	0.6m	0.75m	0.9m
1,750,000,000,000,000,000,000V to 2,200,000,000,000,000,000,000V	0.6m	0.75m	0.9m
2,200,000,000,000,000,000,000V to 3,300,000,000,000,000,000,000V	0.6m	0.75m	0.9m
3,300,000,000,000,000,000,000V to 4,000,000,000,000,000,000,000V	0.6m	0.75m	0.9m
4,000,000,000,000,000,000,000V to 5,000,000,000,000,000,000,000V	0.6m	0.75m	0.9m
5,000,000,000,000,000,000,000V to 6,600,000,000,000,000,000,000V	0.6m	0.75m	0.9m
6,600,000,000,000,000,000,000V to 8,000,000,000,000,000,000,000V	0.6m	0.75m	0.9m
8,000,000,000,000,000,000,000V to 11,000,000,000,000,000,000,000V	0.6m	0.75m	0.9m
11,000,000,000,000,000,000,000V to 13,200,000,000,000,000,000,000V	0.6m	0.75m	0.9m
13,200,000,000,000,000,000,000V to 17,500,000,000,000,000,000,000V	0.6m	0.75m	0.9m
17,500,000,000,000,000,000,000V to 22,000,000,000,000,000,000,			



Warning: PDF designed for A3 colour print only with no page scaling

<p>0 50m</p> <p>Dig Sites Area: --- Line: ---</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p>Legend</p> <p>Service Cables</p> <ul style="list-style-type: none"> 1V Mains 2-33kV 33kV 220kV 33kV 66kV 110kV 275kV 400kV Power Cables <p>Structures (Marked)</p> <ul style="list-style-type: none"> Pole, Existing Location Pole to be erected, Existing Location - Single Pole Structure, Existing Location - H Duct Route Cross Section Route 	<p>Voltagers (V)</p> <p>Up to 1,000V 1,000V to 11,000V 11,000V to 22,000V 22,000V to 33,000V 33,000V to 110,000V 110,000V to 275,000V 275,000V and 400,000V</p> <p>NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN LAD</p> <table border="1"> <tr> <td>Footpath/Unmade Road</td> <td>0.45m</td> <td>IV</td> <td>0.6m</td> <td>61V</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>IV</td> <td>0.6m</td> <td>61V</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>0.6m</td> <td>IV</td> <td>0.75m</td> <td>61V</td> <td>1.1m</td> </tr> </table>	Footpath/Unmade Road	0.45m	IV	0.6m	61V	0.8m	Road Crossing	0.6m	IV	0.6m	61V	0.9m	Agricultural	0.6m	IV	0.75m	61V	1.1m	<p>Date Requested: 11/06/2021 Job Reference: 22379388 Site Location: 367176 075049 Requested by: Mr Rory Casey Your Scheme/Reference: Portland Beach Road</p>	<p>Scale: 1:500 (When plotted at A3)</p>
Footpath/Unmade Road	0.45m	IV	0.6m	61V	0.8m																		
Road Crossing	0.6m	IV	0.6m	61V	0.9m																		
Agricultural	0.6m	IV	0.75m	61V	1.1m																		
<p>Extra High Voltage cables in vicinity</p>			<p>Scottish & Southern Electricity Networks</p> <p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inverlorn Road, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC213459</p> <p>If you're unsure & need to seek advice before commencing excavations please contact: General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSE M Asset Data Team: www.ssen.co.uk 01256 337 294</p>	<p>BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE STATIONERY OFFICE CROWN COPYRIGHT RESERVED.</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the ACT provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																			

Warning: PDF designed for A3 colour print only with no page scaling

Date Requested: 11/06/2021
Job Reference: 22379388
Site Location: 367176 075049
Requested by: Mr Rory Casey
Your Scheme/Reference: Portland Beach Road

Scale: 1:500 (When plotted at A3)

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

0 50m

Dig Sites Area: Line:

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Voltagers (V)	Up to 1,000V	0.6m	0.8m
LV (Low Voltage) and Services	1,000V to 11,000V	0.6m	0.9m
HT (Extra High Voltage)	22,000V to 132,000V	0.6m	0.9m
Transmission	275,000V and 400,000V	0.6m	0.9m
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN Laid			
Services	LV	0.6m	0.8m
	HT	0.6m	0.9m
	275kV	0.6m	0.9m
	400kV	0.6m	0.9m
	1000kV	0.6m	0.9m
	1100kV	0.6m	0.9m
	1300kV	0.6m	0.9m
	1500kV	0.6m	0.9m
	1700kV	0.6m	0.9m
	1900kV	0.6m	0.9m
	2100kV	0.6m	0.9m
	2300kV	0.6m	0.9m
	2500kV	0.6m	0.9m
	2750kV	0.6m	0.9m
	4000kV	0.6m	0.9m
	11000kV	0.6m	0.9m
	13000kV	0.6m	0.9m
	15000kV	0.6m	0.9m
	17000kV	0.6m	0.9m
	19000kV	0.6m	0.9m
	21000kV	0.6m	0.9m
	23000kV	0.6m	0.9m
	25000kV	0.6m	0.9m
	27500kV	0.6m	0.9m
	40000kV	0.6m	0.9m
	110000kV	0.6m	0.9m
	130000kV	0.6m	0.9m
	150000kV	0.6m	0.9m
	170000kV	0.6m	0.9m
	190000kV	0.6m	0.9m
	210000kV	0.6m	0.9m
	230000kV	0.6m	0.9m
	250000kV	0.6m	0.9m
	275000kV	0.6m	0.9m
	400000kV	0.6m	0.9m
	1100000kV	0.6m	0.9m
	1300000kV	0.6m	0.9m
	1500000kV	0.6m	0.9m
	1700000kV	0.6m	0.9m
	1900000kV	0.6m	0.9m
	2100000kV	0.6m	0.9m
	2300000kV	0.6m	0.9m
	2500000kV	0.6m	0.9m
	2750000kV	0.6m	0.9m
	4000000kV	0.6m	0.9m
	11000000kV	0.6m	0.9m
	13000000kV	0.6m	0.9m
	15000000kV	0.6m	0.9m
	17000000kV	0.6m	0.9m
	19000000kV	0.6m	0.9m
	21000000kV	0.6m	0.9m
	23000000kV	0.6m	0.9m
	25000000kV	0.6m	0.9m
	27500000kV	0.6m	0.9m
	40000000kV	0.6m	0.9m
	110000000kV	0.6m	0.9m
	130000000kV	0.6m	0.9m
	150000000kV	0.6m	0.9m
	170000000kV	0.6m	0.9m
	190000000kV	0.6m	0.9m
	210000000kV	0.6m	0.9m
	230000000kV	0.6m	0.9m
	250000000kV	0.6m	0.9m
	275000000kV	0.6m	0.9m
	400000000kV	0.6m	0.9m
	1100000000kV	0.6m	0.9m
	1300000000kV	0.6m	0.9m
	1500000000kV	0.6m	0.9m
	1700000000kV	0.6m	0.9m
	1900000000kV	0.6m	0.9m
	2100000000kV	0.6m	0.9m
	2300000000kV	0.6m	0.9m
	2500000000kV	0.6m	0.9m
	2750000000kV	0.6m	0.9m
	4000000000kV	0.6m	0.9m
	11000000000kV	0.6m	0.9m
	13000000000kV	0.6m	0.9m
	15000000000kV	0.6m	0.9m
	17000000000kV	0.6m	0.9m
	19000000000kV	0.6m	0.9m
	21000000000kV	0.6m	0.9m
	23000000000kV	0.6m	0.9m
	25000000000kV	0.6m	0.9m
	27500000000kV	0.6m	0.9m
	40000000000kV	0.6m	0.9m
	110000000000kV	0.6m	0.9m
	130000000000kV	0.6m	0.9m
	150000000000kV	0.6m	0.9m
	170000000000kV	0.6m	0.9m
	190000000000kV	0.6m	0.9m
	210000000000kV	0.6m	0.9m
	230000000000kV	0.6m	0.9m
	250000000000kV	0.6m	0.9m
	275000000000kV	0.6m	0.9m
	400000000000kV	0.6m	0.9m
	1100000000000kV	0.6m	0.9m
	1300000000000kV	0.6m	0.9m
	1500000000000kV	0.6m	0.9m
	1700000000000kV	0.6m	0.9m
	1900000000000kV	0.6m	0.9m
	2100000000000kV	0.6m	0.9m
	2300000000000kV	0.6m	0.9m
	2500000000000kV	0.6m	0.9m
	2750000000000kV	0.6m	0.9m
	4000000000000kV	0.6m	0.9m
	11000000000000kV	0.6m	0.9m
	13000000000000kV	0.6m	0.9m
	15000000000000kV	0.6m	0.9m
	17000000000000kV	0.6m	0.9m
	19000000000000kV	0.6m	0.9m
	21000000000000kV	0.6m	0.9m
	23000000000000kV	0.6m	0.9m
	25000000000000kV	0.6m	0.9m
	27500000000000kV	0.6m	0.9m
	40000000000000kV	0.6m	0.9m
	110000000000000kV	0.6m	0.9m
	130000000000000kV	0.6m	0.9m
	150000000000000kV	0.6m	0.9m
	170000000000000kV	0.6m	0.9m
	190000000000000kV	0.6m	0.9m
	210000000000000kV	0.6m	0.9m
	230000000000000kV	0.6m	0.9m
	250000000000000kV	0.6m	0.9m
	275000000000000kV	0.6m	0.9m
	400000000000000kV	0.6m	0.9m
	1100000000000000kV	0.6m	0.9m
	1300000000000000kV	0.6m	0.9m
	1500000000000000kV	0.6m	0.9m
	1700000000000000kV	0.6m	0.9m
	1900000000000000kV	0.6m	0.9m
	2100000000000000kV	0.6m	0.9m
	2300000000000000kV	0.6m	0.9m
	2500000000000000kV	0.6m	0.9m
	2750000000000000kV	0.6m	0.9m
	4000000000000000kV	0.6m	0.9m
	11000000000000000kV	0.6m	0.9m
	13000000000000000kV	0.6m	0.9m
	15000000000000000kV	0.6m	0.9m
	17000000000000000kV	0.6m	0.9m
	19000000000000000kV	0.6m	0.9m
	21000000000000000kV	0.6m	0.9m
	23000000000000000kV	0.6m	0.9m
	25000000000000000kV	0.6m	0.9m
	27500000000000000kV	0.6m	0.9m
	40000000000000000kV	0.6m	0.9m
	110000000000000000kV	0.6m	0.9m
	130000000000000000kV	0.6m	0.9m
	150000000000000000kV	0.6m	0.9m
	170000000000000000kV	0.6m	0.9m
	190000000000000000kV	0.6m	0.9m
	210000000000000000kV	0.6m	0.9m
	230000000000000000kV	0.6m	0.9m
	250000000000000000kV	0.6m	0.9m
	275000000000000000kV	0.6m	0.9m
	400000000000000000kV	0.6m	0.9m
	1100000000000000000kV	0.6m	0.9m
	1300000000000000000kV	0.6m	0.9m
	1500000000000000000kV	0.6m	0.9m
	1700000000000000000kV	0.6m	0.9m
	1900000000000000000kV	0.6m	0.9m
	2100000000000000000kV	0.6m	0.9m
	2300000000000000000kV	0.6m	0.9m
	2500000000000000000kV	0.6m	0.9m
	2750000000000000000kV	0.6m	0.9m
	4000000000000000000kV	0.6m	0.9m
	11000000000000000000kV	0.6m	0.9m
	13000000000000000000kV	0.6m	0.9m
	15000000000000000000kV	0.6m	0.9m
	17000000000000000000kV	0.6m	0.9m
	19000000000000000000kV	0.6m	0.9m
	21000000000000000000kV	0.6m	0.9m
	23000000000000000000kV	0.6m	0.9m
	25000000000000000000kV	0.6m	0.9m
	27500000000000000000kV	0.6m	0.9m
	40000000000000000000kV	0.6m	0.9m
	110000000000000000000kV	0.6m	0.9m
	130000000000000000000kV	0.6m	0.9m
	150000000000000000000kV	0.6m	0.9m
	170000000000000000000kV	0.6m	0.9m
	190000000000000000000kV	0.6m	0.9m
	210000000000000000000kV	0.6m	0.9m
	230000000000000000000kV	0.6m	0.9m
	250000000000000000000kV	0.6m	0.9m
	275000000000000000000kV	0.6m	0.9m
	400000000000000000000kV	0.6m	0.9m
	1100000000000000000000kV	0.6m	0.9m
	1300000000000000000000kV	0.6m	0.9m
	1500000000000000000000kV	0.6m	0.9m
	1700000000000000000000kV	0.6m	0.9m
	1900000000000000000000kV	0.6m	0.9m
	2100000000000000000000kV	0.6m	0.9m
	2300000000000000000000kV	0.6m	0.9m
	2500000000000000000000kV	0.6m	0.9m
	2750000000000000000000kV	0.6m	0.9m
	4000000000000000000000kV	0.6m	0.9m
	11000000000000000000000kV	0.6m	0.9m
	13000000000000000000000kV	0.6m	0.9m
	15000000000000000000000kV	0.6m	0.9m
	17000000000000000000000kV	0.6m	0.9m
	19000000000000000000000kV	0.6m	0.9m
	21000000000000000000000kV	0.6m	0.9m
	23000000000000000000000kV	0.6m	0.9m
	25000000000000000000000kV	0.6m	0.9m
	27500000000000000000000kV	0.6m	0.9m
	40000000000000000000000kV	0.6m	0.9m
	110000000000000000000000kV	0.6m	0.9m
	130000000000000000000000kV	0.6m	0.9m
	150000000000000000000000kV	0.6m	0.9m
	170000000000000000000000kV	0.6m	0.9m
	190000000000000000000000kV	0.6m	0.9m
	210000000000000000000000kV	0.6m	0.9m
	230000000000000000000000kV	0.6m	0.9m
	250000000000000000000000kV	0.6m	0.9m
	275000000000000000000000kV	0.6m	0.9m

47

Warning: PDF designed for A3 colour print only with no page scaling

0 50m

Dig Sites Area: Line:

Date Requested: 11/06/2021
Job Reference: 22379388
Site Location: 367176 075049
Requested by:
Mr Rory Casey
Your Scheme/Reference: Portland
Beach Road

WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

LV (Low Voltage) and Services	Up to 1,000V	0.6m	0.8m
Medium Voltage (MV)	1,000V to 10,000V	0.6m	0.9m
EHV (Extra High Voltage) Transmission	22,000V to 132,000V	0.6m	0.9m
Services	275,000V and 400,000V	0.6m	0.9m

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAD

Footpath/Unmade	0.5m	0.6m	0.8m
Road Crossing	0.5m	0.6m	0.75m
Agricultural	0.5m	0.6m	0.9m

Service Cable	1V	10kV	110kV	132kV	275kV	400kV
1V	10kV	110kV	132kV	275kV	400kV	500kV
2-23kV	33kV	66kV	110kV	132kV	275kV	400kV
33kV	66kV	110kV	132kV	275kV	400kV	500kV
275kV	33kV	66kV	110kV	132kV	275kV	400kV
110kV	33kV	66kV	110kV	132kV	275kV	400kV
66kV	33kV	66kV	110kV	132kV	275kV	400kV
33kV	33kV	66kV	110kV	132kV	275kV	400kV
110kV	33kV	66kV	110kV	132kV	275kV	400kV
132kV	33kV	66kV	110kV	132kV	275kV	400kV
275kV	33kV	66kV	110kV	132kV	275kV	400kV
400kV	33kV	66kV	110kV	132kV	275kV	400kV
500kV	33kV	66kV	110kV	132kV	275kV	400kV

Legend

- Service Cable
- 1V
- 10kV
- 110kV
- 132kV
- 275kV
- 400kV
- 500kV

Interlocks Structures (Marked)

- Peak Existing Location
- Peak Structure Existing Location - Single
- Peak Structure Existing Location - H
- Duct Route
- Cross Section Route

Extra High Voltage cables in vicinity




Scottish & Southern Electricity Networks

Scottish and Southern Energy Power Distribution Ltd.
Registered Office: Inveralmond House,
200 Dunkeld Road, Perth, PH1 3AQ
Registered in Scotland No. SC213459

If you're unsure & need to seek advice before commencing excavations please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSE in Asset Data Team:
[Asset Data Team](#)
01256 337 294



Warning: PDF designed for A3 colour print only with no page scaling

		<p>Extra High Voltage cables in vicinity</p>																																																								
<p>Date Requested: 11/06/2021 Job Reference: 22379388</p>	<p>Registered Office: Inverholland House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC13459</p>	<p>Scottish and Southern Energy Power Distribution Ltd. Registered Office: Inverholland House, 200 Dunkeld Road, Perth, PH1 3AQ Registered in Scotland No. SC13459</p> <p>If you're unsure & need to seek advice before commencing excavation please contact: General Enquiries: 0800 085 3516 Subject to revision - Master held by SSE M Asset Data Team: asset.data@scsn.co.uk 01256 337 294</p>																																																								
<p>450mm COVER (H/LW)</p>	<p>Shingle</p>	<p>Legend</p> <ul style="list-style-type: none"> Service Cable LV (Low Voltage) and Services 2-23kV 23kV 27kV 33kV 66kV 110kV 132kV 275kV 400kV High Voltage Prop Cable 																																																								
<p>3x 33kV 500x1C Al XLPE U/A</p>	<p>3x 33kV 500x1C Al XLPE U/A</p>	<p>Voltagex (V)</p> <table border="1"> <tr><td>Up to 1,000V</td><td>0.6m</td><td>0.6m</td><td>0.6m</td></tr> <tr><td>1,000V to 11,000V</td><td>0.6m</td><td>0.6m</td><td>0.6m</td></tr> <tr><td>11,000V to 22,000V</td><td>0.6m</td><td>0.6m</td><td>0.6m</td></tr> <tr><td>22,000V to 33,000V</td><td>0.6m</td><td>0.6m</td><td>0.6m</td></tr> <tr><td>33,000V to 400,000V</td><td>0.6m</td><td>0.6m</td><td>0.6m</td></tr> <tr><td>400,000V and above</td><td>0.6m</td><td>0.6m</td><td>0.6m</td></tr> </table> <p>NORMAL DEPTHS TO THE TOP OF THE CABLE WHEN LAD</p> <table border="1"> <tr><td>Services</td><td>0.6m</td><td>0.6m</td><td>0.6m</td></tr> <tr><td>LV</td><td>0.6m</td><td>0.6m</td><td>0.6m</td></tr> <tr><td>EV</td><td>0.6m</td><td>0.6m</td><td>0.6m</td></tr> <tr><td>Footpath/Unmade</td><td>0.6m</td><td>0.6m</td><td>0.6m</td></tr> <tr><td>Road Crossing</td><td>0.6m</td><td>0.6m</td><td>0.6m</td></tr> <tr><td>Agricultural</td><td>0.6m</td><td>0.6m</td><td>0.6m</td></tr> <tr><td>High Voltage</td><td>0.6m</td><td>0.6m</td><td>0.6m</td></tr> <tr><td>Prop Cable</td><td>0.6m</td><td>0.6m</td><td>0.6m</td></tr> </table>	Up to 1,000V	0.6m	0.6m	0.6m	1,000V to 11,000V	0.6m	0.6m	0.6m	11,000V to 22,000V	0.6m	0.6m	0.6m	22,000V to 33,000V	0.6m	0.6m	0.6m	33,000V to 400,000V	0.6m	0.6m	0.6m	400,000V and above	0.6m	0.6m	0.6m	Services	0.6m	0.6m	0.6m	LV	0.6m	0.6m	0.6m	EV	0.6m	0.6m	0.6m	Footpath/Unmade	0.6m	0.6m	0.6m	Road Crossing	0.6m	0.6m	0.6m	Agricultural	0.6m	0.6m	0.6m	High Voltage	0.6m	0.6m	0.6m	Prop Cable	0.6m	0.6m	0.6m
Up to 1,000V	0.6m	0.6m	0.6m																																																							
1,000V to 11,000V	0.6m	0.6m	0.6m																																																							
11,000V to 22,000V	0.6m	0.6m	0.6m																																																							
22,000V to 33,000V	0.6m	0.6m	0.6m																																																							
33,000V to 400,000V	0.6m	0.6m	0.6m																																																							
400,000V and above	0.6m	0.6m	0.6m																																																							
Services	0.6m	0.6m	0.6m																																																							
LV	0.6m	0.6m	0.6m																																																							
EV	0.6m	0.6m	0.6m																																																							
Footpath/Unmade	0.6m	0.6m	0.6m																																																							
Road Crossing	0.6m	0.6m	0.6m																																																							
Agricultural	0.6m	0.6m	0.6m																																																							
High Voltage	0.6m	0.6m	0.6m																																																							
Prop Cable	0.6m	0.6m	0.6m																																																							
<p>11kV 95x3C Al CAS U/A</p>	<p>11kV 95x3C Al CAS U/A</p>	<p>WARNING</p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>																																																								
<p>3x 33kV 500x1C Al XLPE U/A</p>	<p>3x 33kV 500x1C Al XLPE U/A</p>	<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF THE CONTROLLER OF H.M STATIONERY OFFICE CROWN COPYRIGHT RESERVED.</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																																								
<p>El Sub Sta</p>	<p>Lay-by</p>	<p>0 50m</p> <p>Dig Sites Area: Line:</p> <p>Scale: 1:500 (When plotted at A3)</p>																																																								

